Marine Electronics

SIMRAD

PriceBook



M-Series Speakers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13813-001		M650 Marine Speaker Classic White: 6.5-inch coaxial system for cockpit mounting, 75W, 4 ohms: -CCX-CG-WH	460.00	529.00
000-13815-001		M650 Marine Speaker Sport White: 6.5-inch coaxial system for cockpit mounting, 75W, 4 ohms: -M650-CCX-SG-WH	477.39	549.00
000-13816-001		M770 Marine Speaker Classic White: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-CG-WH	503.48	579.00
000-13817-001		M770 Marine Speaker Sport Titanium / Black: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-SG-TB	512.17	589.00
000-13818-001		M770 Marine Speaker Sport White: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-SG-WH	512.17	589.00
000-13819-001		M880 Marine Speaker Classic White: 8.8-inch coaxial system for cockpit mounting, 125W, 4 ohms: -M880-CCX-CG-WH	607.83	699.00
000-13820-001		M880 Marine Speaker Sport Titanium / Black : 8.8-inch coaxial system for cockpit mounting, 125W, 4 ohms: -M880-CCX-SG-TB	616.52	709.00
000-13810-001		M-Series 10-inch Marine Subwoofer Driver for Infinite-Baffle Use (250 W, 4 Ω) - White Classic Grille -M10IB5-CG-WH	373.04	429.00
000-13811-001		10-inch (250 mm) Marine Subwoofer Driver, Titanium Sport Grille, 4 Ω -M10IB5-SG-TB	381.74	439.00
000-13812-001		10-inch (250 mm) Marine Subwoofer Driver, White Sport Grille, 4 Ω -M10IB5-SG-WH	381.74	439.00
000-14160-001		JLA VEX 6.5" ENCLOSED COAX SPRT WHT: Enclosed Coaxial Speaker System, Gloss White, White Sport Grilles with Blue LED Illumination (60 W, 4 Ω)	599.13	689.00
000-14161-001		JLA VEX SURFACE MOUNT (PS-SWMCP-C-SM): Clear Anodized Surface Mounting fixture for PS650-VeX models. Sold in pairs.	129.57	149.01
000-14341-001		JLA M880-ETXV3-SG-TK (SPECIAL ORDER): Enclosed Tower Coaxial Speaker System, Satin Black, Sport Grilles (125 W, 4 Ω)	1364.35	1569.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13870-001		16 AWG Tinned Copper Marine Speaker Cable 7.62 m (25 ft) -XM-WHTSC16-25	33.91	39.00
000-13871-001		16 AWG Tinned Copper Marine Speaker Cable 152.4 m (500 ft.) -XM-WHTSC16-500	286.09	329.00
000-14340-001		JLA M880-ETXV3 CVR (SPECIAL ORDER): JL Audio M880ETX-CVR Neoprene cover to protect 8.8-inch ETX Enclosed System during storage & trailering	138.26	159.00

NSO evo3

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14000-001		High performance 16-inch multifunction display system with GPS, keypad and accessories.	10494.78	12069.00
000-14001-001		High performance 16-inch multifunction display only	9642.61	11089.00
000-14002-001		High performance 19-inch multifunction display system with GPS, keypad and accessories.	13494.78	15519.00
000-14003-001		High performance 19-inch multifunction display only	12642.61	14539.00
000-14004-001		High performance 24-inch multifunction display system with GPS, keypad and accessories.	16712.17	19219.00
000-14005-001		High performance 24-inch multifunction display only	15851.30	18229.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1233.91	1419.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-13545-001		Simrad RS20 Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's.	355.65	409.00
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	2086.09	2399.00
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers avalable.	1216.52	1399.00
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	903.48	1039.00

Navigation Systems

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, RPU80 pump and NAC-2 autopilot computer.	3129.57	3599.00
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	3964.35	4559.00
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit Ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 meters (33 feet) in length.	2086.09	2399.00
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2816.52	3239.00
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1877.39	2159.00
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2607.83	2999.00
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1564.35	1799.00
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	2320.87	2669.00
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	2016.52	2319.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-11225-001		RS90 Black Box VHF AIS RX SYSTEM	1112.17	1279.00
000-10790-001		RS35 Marine VHF Radio with AIS	555.65	639.00
000-12302-001		New SonicHub®2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	347.78	399.95

Navigation Systems

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-10029-001		NEP-2 Network Expansion Port	433.91	499.00
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12249-001		AIS V5035 Class A Transceiver	3523.53	4052.06

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	68.70	79.01
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	33.91	39.00
000-11620-001		MO16 ,NSO evo3 Bezels 2 x Silver, 2x Black	25.21	28.99
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00

Service Parts

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14263-001		VHF,MOUNT BRACKET KNOBS,RS20,V20	19.12	21.99
151-10435-001		HALO SPARE,MOTOR ASSY,TYPE-1 (AA): For certified technicians only	642.61	739.00
151-10436-001		HALO SPARE,MOTOR ASSY,TYPE-2 (AN): For certified technicians only	755.65	869.00
151-10437-001		HALO SPARE,GEAR ASSY. For certified technicians only	164.35	189.00
151-10438-001		HALO SPARE,PED END CAP W/LED,RIGHT: For certified technicians only Kit Includes Right Case Assembly with LED and replacement case seal.	381.74	439.00
151-10439-001		HALO SPARE,PED END CAP W/LED,LEFT: For certified technicians only Kit Includes Left Case Assembly with LED and replacement case seal.	373.04	429.00
151-10440-001		HALO SPARE,CPU ASSY: For certified technicians only	720.87	829.00
151-10441-001		HALO SPARE,PSU ASSY	416.52	479.00
151-10442-001		HALO SPARE,LED ASSY,LEFT & RIGHT: For certified technicians only	120.87	139.00
151-10443-001		HALO SPARE,RF BRICK ASSY,TUNED	3320.87	3819.00
151-10444-001		HALO SPARE,PED CABLE KIT: For certified technicians only	120.87	139.00
151-10445-001		HALO SPARE,PED SCREW KIT	146.96	169.00
151-10446-001		HALO SPARE,PED SEAL KIT	51.30	59.00
151-10447-001		HALO SPARE, ANT END CAP, OUT ONLY	42.61	49.00
151-10465-001		HALO SPARE,AZIMUTH ASSY	68.70	79.01
151-10466-001		HALO SPARE,MOTOR CAPACITOR ASSY,39K	94.78	109.00

MX-Series Speakers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13825-001		MX650-CCX-CG-WH	225.22	259.00
000-13826-001		MX-Series Oversized 6.5-inch Marine Cockpit Coaxial System for Infinite-Baffle Use (60 W, 4 Ω) - Titanium Sport Grille -MX650-CCX-SG-TB	242.61	279.00
000-13827-001		MX-Series Oversized 6.5-inch Marine Cockpit Coaxial System for Infinite-Baffle Use (60 W, 4 Ω) - White Sport Grille - MX650-CCX-SG-WH	242.61	279.00
000-13828-001		MX-Series Oversized 7.7-inch Marine Cockpit Coaxial System for Infinite-Baffle Use (70 W, 4 Ω) - White Classic Grille - MX770-CCX-CG-WH	294.78	339.00
000-13829-001		MX-Series Oversized 7.7-inch Marine Cockpit Coaxial System for Infinite-Baffle Use (70 W, 4 Ω) - Titanium Sport Grille - MX770-CCX-SG-TB	312.17	359.00
000-13830-001		MX-Series Oversized 7.7-inch Marine Cockpit Coaxial System for Infinite-Baffle Use (70 W, 4 Ω) - White Sport Grille - MX770-CCX-SG-WH	312.17	359.00
000-13822-001		MX10IB3-CG-WH	225.22	259.00
000-13823-001		MX10IB3-SG-TB	233.91	269.00
000-13824-001		MX10IB3-SG-WH	233.91	269.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13870-001		16 AWG Tinned Copper Marine Speaker Cable 7.62 m (25 ft) -XM-WHTSC16-25	33.91	39.00
000-13871-001		16 AWG Tinned Copper Marine Speaker Cable 152.4 m (500 ft.) -XM-WHTSC16-500	286.09	329.00

Amplifiers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14345-001		JLA MHD 900/5 AMP 12V (SPECIAL ORDER): 5-Channel Class D Marine System Amplifier, 100 W x 4 + 500 W x 1	1564.35	1799.00
000-14344-001		JLA MHD600/4 AMP (SPECIAL ORDER): 4-Channel Class D Marine Full-Range Amplifier, 150 W x 4 @ 1.5-4 Ω	1294.78	1489.00
000-13840-001		M-Series Full-Range, Class D Four-Channel Marine Amplifier: 4 x 100W @ 2 ohms per ch., 4 x 75W @ 4 ohms per ch. (2 x 200W @ 4 ohms bridged, 2 x 150W @ 8 ohms bridged)	573.04	659.00
000-13841-001		Class D Monoblock Marine Subwoofer Amplifier:1 x 400W @ 4 ohms / 1 x 500W @ 3 ohms / 1 x 600W @ 2 ohms	573.04	659.00
000-13842-001		M-Series Full-Range, Six-Channel Class D Marine Amplifier:6 x 100W @ 2 ohms per ch., 6 x 75W @ 4 ohms per ch.(3 x 200W @ 4 ohms bridged, 3 x 150W @ 8 ohms bridged)	729.57	839.01
000-13843-001		M-Series M700/5 Five-Channel Class D Marine System Amplifier:4 x 75W + 180W @ 4 ohms / 4 x 100W + 300W @ 2 ohms	799.13	919.00
000-13844-001		M-Series M800/8v2* Full-Range, Eight-Channel Class D Marine Amplifier:8 x 75W @ 4 ohms / 8 x 100W @ 2 ohms	964.35	1109.00
000-13845-001		4-Channel Class D Full-Range Amplifier, 70 W x 4 @ 2 Ω / 50 W x 4 @ 4 Ω - 14.4V -MX 280/4	329.57	379.01
000-13846-001		Monoblock Class D Wide-Range Amplifier, 300 W x 1 @ 2 Ω / 160 W x 1 @ 4 Ω - 14.4V -MX 300/1	329.57	379.01
000-13847-001		Monoblock Class D Wide-Range Amplifier, 500 W x 1 @ 2 Ω / 300 W x 1 @ 4 Ω - 14.4V -MX 500/1	477.39	549.00
000-13848-001		4-Channel Class D Full-Range Amplifier, 125 W x 4 @ 2 Ω / 90 W x 4 @ 4 Ω - 14.4V -MX 500/4	477.39	549.00
000-13850-001		Water-Resistant Remote Level Control for MX Monoblock Amplifiers or any JL Audio Monoblock with a “Remote Bass Control” port. -M-RBC-1	60.00	69.00
000-13849-001		MHD-RLC	60.00	69.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13813-001		M650 Marine Speaker Classic White: 6.5-inch coaxial system for cockpit mounting, 75W, 4 ohms: -CCX-CG-WH	460.00	529.00
000-13815-001		M650 Marine Speaker Sport White: 6.5-inch coaxial system for cockpit mounting, 75W, 4 ohms: -M650-CCX-SG-WH	477.39	549.00
000-13816-001		M770 Marine Speaker Classic White: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-CG-WH	503.48	579.00
000-13817-001		M770 Marine Speaker Sport Titanium / Black: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-SG-TB	512.17	589.00
000-13818-001		M770 Marine Speaker Sport White: 7.7-inch coaxial system for cockpit mounting, 100W, 4 ohms: -M770-CCX-SG-WH	512.17	589.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13819-001		M880 Marine Speaker Classic White: 8.8-inch coaxial system for cockpit mounting, 125W, 4 ohms: -M880-CCX-CG-WH	607.83	699.00
000-13820-001		M880 Marine Speaker Sport Titanium / Black : 8.8-inch coaxial system for cockpit mounting, 125W, 4 ohms: -M880-CCX-SG-TB	616.52	709.00
000-13810-001		M-Series 10-inch Marine Subwoofer Driver for Infinite-Baffle Use (250 W, 4 Ω) - White Classic Grille -M10IB5-CG-WH	373.04	429.00
000-13811-001		10-inch (250 mm) Marine Subwoofer Driver, Titanium Sport Grille, 4 Ω -M10IB5-SG-TB	381.74	439.00
000-13812-001		10-inch (250 mm) Marine Subwoofer Driver, White Sport Grille, 4 Ω -M10IB5-SG-WH	381.74	439.00
000-13856-001		Premium 6 AWG 12-Volt Power Connection System for Single Amplifier (50A Maximum, within 10 ft of Battery) -XMD-PCS50A-1-L10	190.44	219.01
000-13857-001		Premium 6 AWG 12-Volt Power Connection System for Single Amplifier (50A Maximum, within 20 ft of Battery) -XMD-PCS50A-1-L20	233.91	269.00
000-13860-001		2-channel Audio Interconnect Cable 0.46 m (1.5ft) -XMD-WHTAIC2-1.5	19.12	21.99
000-13861-001		2-channel Audio Interconnect Cable 3.66 m (12 ft) -XMD-WHTAIC2-12	25.22	29.00
000-13862-001		2-channel Audio Interconnect Cable (25 ft. / 7.62 m) -XMD-WHTAIC2-25	42.61	49.00
000-13863-001		2-Channel, 0.91 (3 ft) Marine Audio Interconnect -XMD-WHTAIC2-3	18.25	20.99
000-13864-001		2-channel Audio Interconnect Cable 1.83 m (6 ft)-XMD-WHTAIC2-6	21.73	24.99
000-13865-001		4-channel Audio Interconnect Cable (12 ft. / 3.66 m) -XMD-WHTAIC4-12	42.61	49.00
000-13866-001		4-channel Audio Interconnect Cable (25 ft. / 7.62 m) -XMD-WHTAIC4-25	68.70	79.01
000-13867-001		4-channel Audio Interconnect Cable (6 ft. / 1.83 m) -XMD-WHTAIC4-6	42.61	49.00
000-13868-001		Y-Adaptor, 1 female jack / 2 male plugs -XMD-WHTAICY-1F2M	13.04	15.00
000-13869-001		Y-Adaptor, 2 female jacks / 1 male plug -XMD-WHTAICY-1M2F	13.04	15.00
000-13851-001		Waterproof, Ignition-Protected Circuit Breaker: 30 Amp -XMD-MCB-30	86.09	99.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13852-001		Waterproof, Ignition-Protected Circuit Breaker: 40 Amp -XMD-MCB-40	86.09	99.00
000-13853-001		Waterproof, Ignition-Protected Circuit Breaker: 50 Amp -XMD-MCB-50	86.09	99.00
000-13854-001		Waterproof, Ignition-Protected Circuit Breaker: 60 Amp -XMD-MCB-60	86.09	99.00
000-13855-001		Waterproof, Ignition-Protected Circuit Breaker: 80 Amp -XMD-MCB-80	86.09	99.00
000-13849-001		MHD-RLC	60.00	69.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13838-001		Bluetooth® Audio Controller / Receiver-MBT-CRX	129.57	149.01
000-13825-001		MX650-CCX-CG-WH	225.22	259.00
000-13845-001		4-Channel Class D Full-Range Amplifier, 70 W x 4 @ 2 Ω / 50 W x 4 @ 4 Ω - 14.4V -MX 280/4	329.57	379.01

Source Units

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13831-002		Weatherproof Source Unit with Full-Color LCD Display -MM100 BE	677.39	779.00
000-14266-001		The MM80-HR provides the user with full control of their digital audio content via select multifunction displays, compatible with the NMEA 2000® Audio Entertainment protocol and the MM80-HR. This “black-box” solution provides independent dual-zone control and features built-in Bluetooth® audio streaming from a smartphone or tablet; compatible with both iOS and Android platforms	364.35	419.00
000-14266-002		JLA MM80 HR with pair of MX650 Cockpit Grill White speakers	599.13	689.00
000-13832-002		Round, wired, non-display remote controller for use with MediaMaster® -MMR-20 BE	146.96	169.00
000-13831-001		Weatherproof Source Unit with Full-Color LCD Display -MM100s	660.00	759.00
000-13832-001		Round, wired, non-display remote controller for use with MediaMaster®-MMR-20	138.26	159.00
000-13838-001		Bluetooth® Audio Controller / Receiver-MBT-CRX	129.57	149.01
000-13839-001		Weatherproof Bluetooth® Receiver -MBT-RX	60.00	69.00
000-13833-001		Remote controller cable for connection of MMR-20 to MM100s - 1.8 m (6 ft) -MMC-25MMC-6	25.22	29.00
000-13834-001		Remote controller cable for connection of MMR-20 to MM100s - 25 ft (7.6 m) -MMC-25	42.61	49.00
000-13836-001		Connect MM100s to NMEA network 0.3 m (1 ft)(requires NMEA 2000 compatible cables, connectors, etc. (sold separately) -MMC-DN2K-1	42.61	49.00
000-13837-001		Connect MM100s to NMEA network 1.8 m (6 ft) (requires NMEA 2000 compatible cables, connectors, etc. (sold separately) -MMC-DN2K-6	42.61	49.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-10760-001		NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	77.39	89.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-13831-001		Weatherproof Source Unit with Full-Color LCD Display -MM100s	660.00	759.00
000-13832-001		Round, wired, non-display remote controller for use with MediaMaster®-MMR-20	138.26	159.00
000-13838-001		Bluetooth® Audio Controller / Receiver-MBT-CRX	129.57	149.01
000-13839-001		Weatherproof Bluetooth® Receiver -MBT-RX	60.00	69.00
000-13833-001		Remote controller cable for connection of MMR-20 to MM100s - 1.8 m (6 ft) -MMC-25MMC-6	25.22	29.00
000-13834-001		Remote controller cable for connection of MMR-20 to MM100s - 25 ft (7.6 m) -MMC-25	42.61	49.00
000-13836-001		Connect MM100s to NMEA network 0.3 m (1 ft)(requires NMEA 2000 compatible cables, connectors, etc. (sold separately) -MMC-DN2K-1	42.61	49.00
000-13837-001		Connect MM100s to NMEA network 1.8 m (6 ft) (requires NMEA 2000 compatible cables, connectors, etc. (sold separately) -MMC-DN2K-6	42.61	49.00
000-14162-001		JLA MM 100 MOUNTING PLATE (MMP-1-BK): Mounting Adaptor Plate for JL Audio® MM100s Source Unit	86.09	99.00
000-13840-001		M-Series Full-Range, Class D Four-Channel Marine Amplifier: 4 x 100W @ 2 ohms per ch., 4 x 75W @ 4 ohms per ch. (2 x 200W @ 4 ohms bridged, 2 x 150W @ 8 ohms bridged)	573.04	659.00
000-13841-001		Class D Monoblock Marine Subwoofer Amplifier:1 x 400W @ 4 ohms / 1 x 500W @ 3 ohms / 1 x 600W @ 2 ohms	573.04	659.00
000-13842-001		M-Series Full-Range, Six-Channel Class D Marine Amplifier:6 x 100W @ 2 ohms per ch., 6 x 75W @ 4 ohms per ch.(3 x 200W @ 4 ohms bridged, 3 x 150W @ 8 ohms bridged)	729.57	839.01
000-13843-001		M-Series M700/5 Five-Channel Class D Marine System Amplifier:4 x 75W + 180W @ 4 ohms / 4 x 100W + 300W @ 2 ohms	799.13	919.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13844-001		M-Series M800/8v2* Full-Range, Eight-Channel Class D Marine Amplifier:8 x 75W @ 4 ohms / 8 x 100W @ 2 ohms	964.35	1109.00
000-13845-001		4-Channel Class D Full-Range Amplifier, 70 W x 4 @ 2 Ω / 50 W x 4 @ 4 Ω - 14.4V -MX 280/4	329.57	379.01
000-13846-001		Monoblock Class D Wide-Range Amplifier, 300 W x 1 @ 2 Ω / 160 W x 1 @ 4 Ω - 14.4V -MX 300/1	329.57	379.01
000-13847-001		Monoblock Class D Wide-Range Amplifier, 500 W x 1 @ 2 Ω / 300 W x 1 @ 4 Ω - 14.4V -MX 500/1	477.39	549.00
000-13848-001		4-Channel Class D Full-Range Amplifier, 125 W x 4 @ 2 Ω / 90 W x 4 @ 4 Ω - 14.4V -MX 500/4	477.39	549.00

Connection systems

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13858-001		3.5 mm Audio Jack for Panel-Mounting -XMD-3.5MM-PNL	42.61	49.00
000-13859-001		Combo 3.5 mm Audio Jack and 9 Wire USB Port for Panel-Mounting -XMD-USB/3.5MM-PNL	68.70	79.01
000-13878-001		2-channel 3.5 mm Mini-to-Mini Audio Interconnect Cable - 0.91 m (3 ft) - XC-MINIAIC2-3	13.04	15.00
000-13879-001		2-channel 3.5 mm Mini-to-Mini Audio Interconnect Cable - 1.8 m (6 ft) - XC-MINIAIC2-6	18.25	20.99
000-13880-001		XD-MINIRCA2-6	19.99	22.99
000-13856-001		Premium 6 AWG 12-Volt Power Connection System for Single Amplifier (50A Maximum, within 10 ft of Battery) -XMD-PCS50A-1-L10	190.44	219.01
000-13857-001		Premium 6 AWG 12-Volt Power Connection System for Single Amplifier (50A Maximum, within 20 ft of Battery) -XMD-PCS50A-1-L20	233.91	269.00
000-13860-001		2-channel Audio Interconnect Cable 0.46 m (1.5ft) -XMD-WHTAIC2-1.5	19.12	21.99
000-13861-001		2-channel Audio Interconnect Cable 3.66 m (12 ft) -XMD-WHTAIC2-12	25.22	29.00
000-13862-001		2-channel Audio Interconnect Cable (25 ft. / 7.62 m) -XMD-WHTAIC2-25	42.61	49.00
000-13863-001		2-Channel, 0.91 (3 ft) Marine Audio Interconnect -XMD-WHTAIC2-3	18.25	20.99
000-13864-001		2-channel Audio Interconnect Cable 1.83 m (6 ft)-XMD-WHTAIC2-6	21.73	24.99
000-13865-001		4-channel Audio Interconnect Cable (12 ft. / 3.66 m) -XMD-WHTAIC4-12	42.61	49.00
000-13866-001		4-channel Audio Interconnect Cable (25 ft. / 7.62 m) -XMD-WHTAIC4-25	68.70	79.01
000-13867-001		4-channel Audio Interconnect Cable (6 ft. / 1.83 m) -XMD-WHTAIC4-6	42.61	49.00
000-13868-001		Y-Adaptor, 1 female jack / 2 male plugs -XMD-WHTAICY-1F2M	13.04	15.00
000-13869-001		Y-Adaptor, 2 female jacks / 1 male plug -XMD-WHTAICY-1M2F	13.04	15.00
000-13870-001		16 AWG Tinned Copper Marine Speaker Cable 7.62 m (25 ft) -XM-WHTSC16-25	33.91	39.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13871-001		16 AWG Tinned Copper Marine Speaker Cable 152.4 m (500 ft.) -XM-WHTSC16-500	286.09	329.00
000-13851-001		Waterproof, Ignition-Protected Circuit Breaker: 30 Amp -XMD-MCB-30	86.09	99.00
000-13852-001		Waterproof, Ignition-Protected Circuit Breaker: 40 Amp -XMD-MCB-40	86.09	99.00
000-13853-001		Waterproof, Ignition-Protected Circuit Breaker: 50 Amp -XMD-MCB-50	86.09	99.00
000-13854-001		Waterproof, Ignition-Protected Circuit Breaker: 60 Amp -XMD-MCB-60	86.09	99.00
000-13855-001		Waterproof, Ignition-Protected Circuit Breaker: 80 Amp -XMD-MCB-80	86.09	99.00
000-13872-001		30 Amp blade fuse - XD-MAXI-30	3.47	3.99
000-13873-001		40 Amp blade fuse - XD-MAXI-40	3.47	3.99
000-13874-001		50 Amp blade fuse - XD-MAXI-50	3.47	3.99
000-13875-001		60 Amp blade fuse - XD-MAXI-60	3.47	3.99
000-13876-001		80 Amp blade fuse - XD-MAXI-80	3.47	3.99
000-13877-001		Water-Resistant Master MAXI® Fuse Block for 8 AWG - 4 AWG Wire (100A Maximum) - XD-MFBW-MAXI	42.61	49.00
000-14343-001		Mounting fixture for M880-ETXv3, M770-ETXv3 and MX770-ETXv3 models. Fixture is designed for surface/deck-mounting. Sold in pairs.	338.26	389.00
000-14340-001		JLA M880-ETXV3 CVR (SPECIAL ORDER): JL Audio M880ETX-CVR Neoprene cover to protect 8.8-inch ETX Enclosed System during storage & trailering	138.26	159.00
000-14162-001		JLA MM 100 MOUNTING PLATE (MMP-1-BK): Mounting Adaptor Plate for JL Audio® MM100s Source Unit	86.09	99.00
000-14339-001		JLA ETXV3 SURFACE BRKT (SPECIAL ORDER): Mounting fixture for M880-ETXv3, M770-ETXv3 and MX770-ETXv3 models. Fixture is designed for surface/deck-mounting. Sold in pairs.	207.83	239.00
000-14338-001		JLA M880-ETXV3-SD-WHLD-B (SPECIAL ORDER)JL Audio M880-ETXv3-SG-WLD-B 8.8" Marine Tower Coaxial Speakers.	1364.35	1569.00
000-14280-001		JLA ETXV3 SURFACE BRKT (SPECIAL ORDER)	199.13	229.00
000-14279-001		JLA M880-ETXV3-SD-WHLD-B (SPECIAL ORDER)	1329.57	1529.01
000-14342-001		Mounting fixture for M880-ETXv3, M770-ETXv3 and MX770-ETXv3 models. Clamp has an inner diameter of 2.000 in. Sold in pairs. -M-MCPv3-2.000	207.83	239.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13872-001		30 Amp blade fuse - XD-MAXI-30	3.47	3.99
000-13873-001		40 Amp blade fuse - XD-MAXI-40	3.47	3.99
000-13874-001		50 Amp blade fuse - XD-MAXI-50	3.47	3.99
000-13875-001		60 Amp blade fuse - XD-MAXI-60	3.47	3.99
000-13876-001		80 Amp blade fuse - XD-MAXI-80	3.47	3.99
000-13877-001		Water-Resistant Master MAXI® Fuse Block for 8 AWG - 4 AWG Wire (100A Maximum) - XD-MFBW-MAXI	42.61	49.00

Track

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14274-001		TRACK-WIFI - UNIT W-I/O CONNECTOR	1146.96	1319.00
000-14273-001		TRACK-CELLFI UNIT- W-I/O CONNECTOR	1355.65	1559.00
000-14272-001		TRACK-WIFI - BOATBUILDER KIT	1251.30	1439.00
000-14271-001		TRACK-CELLFI BOATBUILDER KIT	1460.00	1679.00
000-12617-001		TRACK-WI-FI kit with TRACK Wi-Fi unit, GPS/WLAN antenna, Junction box +terminal strip	1251.30	1439.00
000-12616-001		TRACK-Cell-Fi kit with TRACK Wi-Fi unit, CELL/GPS antenna, Junction box +terminal strip	1460.00	1679.00
000-12732-001		TRACK WI-FI unit	938.26	1079.00
000-12731-001		TRACK CELL-FI unit	1355.65	1559.00
000-13557-001		TRACK GPS/WLAN ANTENNA KIT	155.65	179.00
000-13556-001		TRACK CELL/GPS/WLAN ANTENNA KIT	173.04	199.00
000-13555-001		TRACK SATELLITE IRIDIUM ANTENNA KIT	1773.04	2039.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12732-001		TRACK WI-FI unit	938.26	1079.00
000-12731-001		TRACK CELL-FI unit	1355.65	1559.00
000-14039-001		YANMAR J1939 ADAPTER HARNESS	42.61	49.00
000-14040-001		CAT J1939 ADAPTER HARNESS	112.17	129.00
000-12631-001		TRACK DIESEL ENGINE HARNESS	146.96	169.00
000-12624-001		TRACK water level sensor kit.	94.78	109.00
000-12626-001		TRACK Shore power sensor kit - EMEA.	94.78	109.00

Telematics

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12625-001		TRACK Shore power sensor kit - AMER.	94.78	109.00
000-12627-001		TRACK Shore power sensor kit - APAC.	94.78	109.00
000-12629-001		TRACK Entry sensor kit	68.70	79.01
000-12628-001		TRACK Temperature sensor kit	94.78	109.00
000-12739-001		TRACK 3 pin to 9 pin Deutsch adapter harness	173.04	199.00
000-12618-001		TRACK Satellite iridium antenna (RS232)	1355.65	1559.00
000-12632-001		TRACK JUNCTION BOX	25.22	29.00
000-12908-001		TERMINAL STRIP 9 PIN	11.30	13.00
000-13554-001		SATELLITE ANTENNA SLOTTED NUT	33.91	39.00
000-13553-001		ANTENNA THREADED ROD	25.22	29.00
000-13552-001		ANTENNA FLANGE NUT	20.86	23.99
000-12622-001		TRACK - GPS & WiFi ant ext cable - 10 m (33 ft) LMR 240	129.57	149.01
000-12623-001		TRACK Cellular antenna ext cable LMR 400 - 10 m (33 ft	103.48	119.00
000-12740-001		TRACK Iridium antenna ext cable 10 m (33 ft)	155.65	179.00
000-12734-001		TRACK Global cellular subscription HD one month: Premium: Control -Records every 96 seconds, uploads every 15 minutes -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device -Display NMEA 2000 & J1939 engine data -Replay alerts in dashboard -Remote control of onboard switches -Store vessel documents -Create and share TripReplay recordings -Upload photos from your phone to a TripReplay -Play and share HD log files for engine alert notifications	268.70	309.01

Telematics

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12733-001		TRACK Global cell subscription base annual. Basic: Monitoring -Records every 96 seconds, uploads every 4 hours -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	129.57	149.01
000-12735-001		TRACK Global cell subscription HD annual: Premium: Control -Records every 96 seconds, uploads every 15 minutes -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device -Display NMEA 2000 & J1939 engine data -Replay alerts in dashboard -Remote control of onboard switches -Store vessel documents -Create and share TripReplay recordings -Upload photos from your phone to a TripReplay -Play and share HD log files for engine alert notifications	329.57	379.01
000-12736-001		TRACK Iridium satelite subscription annual: Basic: Monitoring "Location summary sent every 12 hours" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	468.70	539.01
000-12909-001		DIGITAL:TRACK IRIDIUM HD SAT SUB ANNUAL Basic: Monitoring -Location summary sent every hour" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	529.57	609.01
000-11518-001		Fluid Level Sensor: Transmits the tank level from a suitable tank level sender unit on the the NMEA 2000 network. Replaces EP-65	170.06	195.57

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12732-001		TRACK WI-FI unit	938.26	1079.00
000-12731-001		TRACK CELL-FI unit	1355.65	1559.00
000-12632-001		TRACK JUNCTION BOX	25.22	29.00
000-12908-001		TERMINAL STRIP 9 PIN	11.30	13.00
000-13554-001		SATELLITE ANTENNA SLOTTED NUT	33.91	39.00
000-13553-001		ANTENNA THREADED ROD	25.22	29.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13552-001		ANTENNA FLANGE NUT	20.86	23.99
000-12738-001		MISC,HW KIT,TRACK KITS	12.17	14.00

Track Accessories

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14277-001		TRACK 2 PIN SENSOR CONNECTOR - PLUG KIT	8.69	9.99
000-14275-001		TRACK 30 PIN I/O CONNECTOR PLUG KIT	11.30	13.00
000-14276-001		TRACK 30 PIN I/O CONNECTOR - RECEPT KIT	11.30	13.00
000-14251-001		TRACK CELL/GPS ANTENNA 5M	173.04	199.00
000-14250-001		TRACK GPS/WLAN ANTENNA 5M	155.65	179.00
000-12630-001		TRACK SENSOR EXT HARNESS	42.61	49.00
000-14039-001		YANMAR J1939 ADAPTER HARNESS	42.61	49.00
000-14040-001		CAT J1939 ADAPTER HARNESS	112.17	129.00
000-12631-001		TRACK DIESEL ENGINE HARNESS	146.96	169.00
000-12624-001		TRACK water level sensor kit.	94.78	109.00
000-12626-001		TRACK Shore power sensor kit - EMEA.	94.78	109.00
000-12625-001		TRACK Shore power sensor kit - AMER.	94.78	109.00
000-12627-001		TRACK Shore power sensor kit - APAC.	94.78	109.00
000-12629-001		TRACK Entry sensor kit	68.70	79.01
000-12628-001		TRACK Temperature sensor kit	94.78	109.00
000-12739-001		TRACK 3 pin to 9 pin Deutsch adapter harness	173.04	199.00
000-12618-001		TRACK Satellite iridium antenna (RS232)	1355.65	1559.00
000-12632-001		TRACK JUNCTION BOX	25.22	29.00
000-12908-001		TERMINAL STRIP 9 PIN	11.30	13.00
000-13554-001		SATELLITE ANTENNA SLOTTED NUT	33.91	39.00

Telematics

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-13553-001		ANTENNA THREADED ROD	25.22	29.00
000-13552-001		ANTENNA FLANGE NUT	20.86	23.99
000-12622-001		TRACK - GPS & WiFi ant ext cable - 10 m (33 ft) LMR 240	129.57	149.01
000-12623-001		TRACK Cellular antenna ext cable LMR 400 - 10 m (33 ft	103.48	119.00
000-12740-001		TRACK Iridium antenna ext cable 10 m (33 ft)	155.65	179.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12622-001		TRACK - GPS & WiFi ant ext cable - 10 m (33 ft) LMR 240	129.57	149.01
000-12623-001		TRACK Cellular antenna ext cable LMR 400 - 10 m (33 ft	103.48	119.00
000-12740-001		TRACK Iridium antenna ext cable 10 m (33 ft)	155.65	179.00
000-12736-001		TRACK Iridium satelite subscription annual: Basic: Monitoring "Location summary sent every 12 hours" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	468.70	539.01
000-12909-001		DIGITAL:TRACK IRIDIUM HD SAT SUB ANNUAL Basic: Monitoring -Location summary sent every hour" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	529.57	609.01

Plans

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14238-001		Track Global HD WIFI plan 24 month voucher	1868.70	2149.01
000-12734-001		TRACK Global cellular subscription HD one month: Premium: Control -Records every 96 seconds, uploads every 15 minutes -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device -Display NMEA 2000 & J1939 engine data -Replay alerts in dashboard -Remote control of onboard switches -Store vessel documents -Create and share TripReplay recordings -Upload photos from your phone to a TripReplay -Play and share HD log files for engine alert notifications	268.70	309.01
000-12733-001		TRACK Global cell subscription base annual. Basic: Monitoring -Records every 96 seconds, uploads every 4 hours -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	129.57	149.01
000-12735-001		TRACK Global cell subscription HD annual: Premium: Control -Records every 96 seconds, uploads every 15 minutes -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device -Display NMEA 2000 & J1939 engine data -Replay alerts in dashboard -Remote control of onboard switches -Store vessel documents -Create and share TripReplay recordings -Upload photos from your phone to a TripReplay -Play and share HD log files for engine alert notifications	329.57	379.01
000-12736-001		TRACK Iridium satelite subscription annual: Basic: Monitoring "Location summary sent every 12 hours" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	468.70	539.01
000-12909-001		DIGITAL:TRACK IRIDIUM HD SAT SUB ANNUAL Basic: Monitoring -Location summary sent every hour" -Dashboard monitoring -Vessel location capture -Geofence alerts -GPS & alert data backup -Security alert emails -Monitor five security sensors -View battery voltage -View dashboard on any web device	529.57	609.01

WIFI-1

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11068-001		GOFREE WIFI1 WIRELESS MODULE	312.17	359.00

NSO evo2

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13565-004		NSO evo2 Single 16" Multi-Touch monitor bundle. With OP50 Controller MI10 card reader and GS25 GPS Antenna. No charts included	7868.70	9049.01
000-13566-004		NSO evo2 Single 19" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna. No charts included.	9199.13	10579.00
000-13567-004		NSO evo2 24" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna - No Charts	10625.22	12219.00
000-13568-004		NSO evo2 Dual 16" Multi-Touch monitor bundle. With OP50 Controller, MI10 chart card reader and GS25 GPS Antenna - No Charts	10616.52	12209.00
000-13569-004		NSO evo2 Dual 19" Multi-Touch monitor bundle. With OP50 Controller, MI10 card reader and GS25 GPS Antenna - No Charts	11764.35	13529.00
000-10997-001		SIMRAD NSO evo2 Marine Processor Unit, Worldwide Basemap (No Detailed Cartography)	5025.22	5779.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	2086.09	2399.00
000-11260-001		MO16-T. 15.6"Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	3886.09	4469.00
000-11262-001		MO19-T. 19" Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	5599.13	6439.00
000-11264-001		MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	7590.43	8728.99
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-11616-001		MO19,VESA MNT BRACKET KIT	103.48	119.00
000-12395-001		StructureScan 3D Module and Transom mount transdcuer	1477.39	1699.00

Navigation Systems

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers avalable.	1216.52	1399.00
000-11141-001		SonarHub with LSS HD Transom mount transducer	1207.83	1389.00
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	903.48	1039.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6442.61	7409.00
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6112.17	7029.00
000-11476-001		TXL-25S-7 LOW Emission 25kW 7ft Antenna with 20m (65 ft) antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	17120.87	19689.00
TX06S-1		TX06S-1 6 kW, 4 ft open array Radar Kit. Parts included: 6 kW 4' scanner with 20 m (66 ft) cable, HD Radar Processor, RJ45 to 5 Pin Yellow (F) Adapter (Straight Though), Ethernet cable Yellow MM 2 m (6.5 ft)	3860.00	4439.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-11068-001		GOFREE WIFI1 WIRELESS MODULE	312.17	359.00
000-12302-001		New SonicHub®2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	347.78	399.95
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-10029-001		NEP-2 Network Expansion Port	433.91	499.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial	24.34	27.99
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	25.22	29.00

Part Number		Description	RRP exclu.	RRP inclu.
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	68.70	79.01
000-11245-001		NSO evo2 / ZEUS² Glass Helm dash mount chart card reader with attached USB cable	294.78	339.00
AA010070		NSO 12 pin utility cable	45.88	52.76
AA010152		DI10/DI15 display video cable - 3 m (9.8 ft)	202.35	232.70
000-11617-001		MO24,VESA MNT BRACKET KIT	129.57	149.01
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11264-001		MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	7590.43	8728.99
000-11616-001		MO19,VESA MNT BRACKET KIT	103.48	119.00
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	68.70	79.01
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	77.39	89.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial	24.34	27.99

Part Number		Description	RRP exclu.	RRP inclu.
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	25.22	29.00
000-11245-001		NSO evo2 / ZEUS² Glass Helm dash mount chart card reader with attached USB cable	294.78	339.00
000-10394-001		OP40 Suncover	42.61	49.00
000-00139-001		NSE/OP40/NSS Rotary Knob	25.22	29.00
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01
000-10437-001		Ethernet adapter Crossover RJ45 M to yellow 5 pin F (s	42.61	49.00
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	33.91	39.00
000-11619-001	Missing Image	MO16/19/24,DASH SEAL KIT	8.69	9.99
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-11624-001		MO16/19/24 INLET FILTER COVER	7.82	8.99
000-11625-001		MO16/19/24 CONNECTORS KIT	16.51	18.99
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00

Monitors

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12210-001		SIMRAD M5019 MONITOR	4590.43	5278.99
000-11260-001		MO16-T. 15.6"Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	3886.09	4469.00
000-11262-001		MO19-T. 19" Widescreen High bright, multi-touch monitor. High Definition 1366x768 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	5599.13	6439.00
000-11264-001		MO24-T. 24" Widescreen High bright, multi-touch monitor. High Definition 1920x1080 resolution. 1000 nit brightness. Inputs: HDMI, DVI, Composite Video (x2). N2K connectivity for Simrad backlight control. Excludes video cable and touch control cable.	7590.43	8728.99
000-12209-001		TYPE APPROVED MONITOR FOR CAT3 IMO/SOLAS VESSELS	3338.26	3839.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-11615-001		MO16,VESA MNT BRACKET KIT	94.78	109.00
000-11616-001		MO19,VESA MNT BRACKET KIT	103.48	119.00
000-10997-001		SIMRAD NSO evo2 Marine Processor Unit, Worldwide Basemap (No Detailed Cartography)	5025.22	5779.00
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial	24.34	27.99
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	25.22	29.00
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	68.70	79.01
000-11617-001		MO24,VESA MNT BRACKET KIT	129.57	149.01

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11616-001		MO19,VESA MNT BRACKET KIT	103.48	119.00

Part Number		Description	RRP exclu.	RRP inclu.
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	68.70	79.01
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	33.91	39.00
000-11619-001	Missing Image	MO16/19/24,DASH SEAL KIT	8.69	9.99
000-11620-001		MO16 ,NSO evo3 Bezels 2 x Silver, 2x Black	25.21	28.99
000-11621-001		MO, NSO evo3 19 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-11622-001		MO, NSO evo3 24 BEZELS,SILVER & BLACK,2PCS EACH	26.08	29.99
000-11624-001		MO16/19/24 INLET FILTER COVER	7.82	8.99
000-11625-001		MO16/19/24 CONNECTORS KIT	16.51	18.99

NSS evo3

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13237-001		NSSevo3 7-inch display with GPS, sounder & Wi-Fi. Includes world basemap.	2181.74	2509.00
000-13238-001		NSSevo3 9-inch display with GPS, sounder & Wi-Fi. Includes world basemap.	3129.57	3599.01
000-13239-001		NSSevo3 12-inch display with GPS, sounder, Wi-Fi & HDMI out. Includes world basemap.	4503.48	5179.00
000-13240-001		NSSevo3 16-inch Full HD display with GPS, sounder, Wi-Fi & HDMI out. Includes world basemap.	6451.30	7419.00
000-13793-001		NSSevo3 7-inch display with GPS, sounder & Wi-Fi. Includes Broadband 4G™ radar.	4173.04	4799.00
000-13794-001		NSSevo3 9-inch display with GPS, sounder & Wi-Fi. Includes Broadband 4G™ radar.	5077.39	5839.00
000-13795-001		NSSevo3 12-inch display with GPS, sounder, Wi-Fi & HDMI out. Includes Broadband 4G™ radar.	6355.65	7309.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	303.48	349.00
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns: Available Q1 2017	338.26	389.00
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft): Available Q1 2017	1016.52	1169.00
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector: Available Q1 2017	190.43	218.99
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - black 9 pin connector: Available Q1 2017	1373.04	1579.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	190.43	218.99
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector: Available Q1 2017	1173.04	1349.00
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	1442.61	1659.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	1442.61	1659.00
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1173.04	1349.00
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01

Part Number		Description	RRP exclu.	RRP inclu.
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1555.65	1789.00
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft): Available Q1 2017	4712.17	5419.00
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	2138.26	2459.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	2086.09	2399.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-12742-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus² 12 multi function displays. 3 m (9.8 ft)	77.39	89.00
000-12741-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 10m (33 ft)	138.26	159.00
000-12395-001		StructureScan 3D Module and Transom mount transdcuer	1477.39	1699.00
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	903.48	1039.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-10029-001		NEP-2 Network Expansion Port	433.91	499.00
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	25.22	29.00
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	68.70	79.01

Part Number		Description	RRP exclu.	RRP inclu.
000-00129-001		Video/Comms Cable (8 pin conn. to bare wires for NMEA and 2 RCA female for Video in Port one and two) 2 m (6.5 ft) NSS/Zeus/NSE/S,R2009/S,R3016	33.91	39.00
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	1007.83	1159.00
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13760-001		NSS16 EVO3 & ZEUS3-16 MOUNTING BRACKET	103.48	119.00
000-13759-001		NSS12 EVO3 & ZEUS3-12 MOUNTING BRACKET	103.48	119.00
000-13758-001		NSS9 EVO3 & ZEUS3 - 9 MOUNTING BRACKET	51.30	59.00
000-13756-001		NSS16 EVO3 & ZEUS3 - 16 DASH MOUNT KIT	42.61	49.00
000-13755-001		NSS12 EVO3 & ZEUS3 - 12 DASH MOUNT KIT	33.91	39.00
000-13754-001		NSS9 EVO3 & ZEUS3 - 9 DASH MOUNT KIT	33.91	39.00
000-13753-001		NSS7 EVO3 & ZEUS3 - 7 DASH MOUNT KIT	25.22	29.00
000-13752-001		NSS16 EVO3 & ZEUS3 – 16 EDGE BEZELS	33.91	39.00
000-13751-001		NSS12 EVO3 & ZEUS3 – 12 EDGE BEZELS	25.22	29.00
000-13750-001		NSS9 EVO3 & ZEUS3 – 9 EDGE BEZELS	25.22	29.00
000-13749-001		NSS7 EVO3 & ZEUS3 – 7 EDGE BEZELS	25.21	28.99
000-13748-001		NSS EVO3 & ZEUS3 CHART CARD DOOR	19.12	21.99
000-13743-001		NSS16 evo3 Sun cover	42.61	49.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13742-001		NSS12 evo3 Sun cover	42.61	49.00
000-13741-001		NSS9 EVO3 SUN COVER	42.61	49.00
000-13740-001		NSS7 EVO3 SUN COVER	25.22	29.00
000-13702-001		Gimbal bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7,	51.30	59.00
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01
000-10467-001		Gimbal Bracket Knobs for Lowrance HDSGen2T/Elite7, Simrad NSS/NSSevo2, B&G Zeus2	33.91	39.00

NSS evo2

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11184-001		NSS7 evo2 Combo. Multi-function display. Built-in CHIRP Echosounder and StructureScan. Insight cartography.(AMER)	1790.44	2059.00
000-11190-001		NSS9 evo2 Combo. Multi-function display. Built-in CHIRP Echosounder and StructureScan. Insight cartography.(AMER)	2738.26	3149.00
000-11196-001		NSS16 evo2 Combo. Multi-function display. Built-in CHIRP Echosounder and StructureScan. Insight cartography. (AMER)	5738.26	6599.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		9 TO 7 PIN XD adapter for Airmar XID Transdcuers. Allows XSonic 9 Pin Transducers with XID to connect to a legacy 7 pin echo sounder module	60.00	69.00
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	60.00	69.00
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	207.83	239.00
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns: Available Q1 2017	338.26	389.00
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	303.48	349.00
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	260.00	299.00
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft): Available Q1 2017	1016.52	1169.00
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDCR: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	373.04	429.00
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	216.52	249.00
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector: Available Q1 2017	190.43	218.99
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - black 9 pin connector: Available Q1 2017	1373.04	1579.00
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	190.43	218.99
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector: Available Q1 2017	1173.04	1349.00
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1173.04	1349.00
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1555.65	1789.00
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-11029-001		Plastic StructureScan™ HD thru-hull transducer	712.17	819.00
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-11133-001		BRONZE HDI XDCR 0 TILT 50/200 455/800: Blue 7 pin connector: Cable length 10 m (33.0 ft)	607.83	699.00
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft): Available Q1 2017	4712.17	5419.00
000-13941-001		CM599LH-W AIRMAR CHESTMOUNT: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	5894.78	6779.00
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	2138.26	2459.00
000-13940-001		XSONIC AIRMAR PM275LH-W: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-0099-95		TS-1BL Temperature sensor (non-networked)	120.87	139.00
000-0106-73		PD - WBL 83/200 kHz shoot-thru or trolling-motor mount skimmer depth	173.04	199.00
000-0106-74		PDT-WBL 83/200 kHz trolling-motor mount Skimmer® with built-in temp with blue connector	173.04	199.00
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector	146.96	169.00

Navigation Systems

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	2086.09	2399.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-12742-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus² 12 multi function displays. 3 m (9.8 ft)	77.39	89.00
000-12741-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 10m (33 ft)	138.26	159.00
000-12395-001		StructureScan 3D Module and Transom mount transdcuer	1477.39	1699.00
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers avalable.	1216.52	1399.00
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	903.48	1039.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	42.61	49.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	216.52	249.00
000-0106-77		HST - DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	320.87	369.00
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-10029-001		NEP-2 Network Expansion Port	433.91	499.00

Part Number		Description	RRP exclu.	RRP inclu.
000-11248-001		NSO evo2 HDMI monitor video cable 3 m (9.8 ft)	25.22	29.00
000-11249-001		NSO evo2 HDMI monitor video cable 10 m (33 ft)	68.70	79.01
000-11604-001		NSS16 evo2 VESA MOUNT ADAPTOR KIT	33.91	39.00
000-00129-001		Video/Comms Cable (8 pin conn. to bare wires for NMEA and 2 RCA female for Video in Port one and two) 2 m (6.5 ft) NSS/Zeus/NSE/S,R2009/S,R3016	33.91	39.00
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware.	303.48	349.00
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20ft)	155.65	179.00
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12204-001		7" NSS EVO2 & ZEUS-2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	20.86	23.99
000-12205-001		9" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	25.22	29.00
000-12206-001		12" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	33.91	39.00
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	42.61	49.00
000-00139-001		NSE/OP40/NSS Rotary Knob	25.22	29.00
000-11587-001		NSS evo2 & ZEUS² Chart Card Door, Replacement	24.34	27.99
000-11588-001	Missing Image	NSS evo2 & ZEUS² Connector Covers (7/9)	19.99	22.99

Part Number		Description	RRP exclu.	RRP inclu.
000-11589-001	Missing Image	NSS evo2 & ZEUS² Connector Covers (12/16)	25.22	29.00
000-11590-001		NSS7 evo2 Sun Cover	33.91	39.00
000-11598-001		NSS evo2 & ZEUS² 7 Edge Bezels (Pair)	18.25	20.99
000-11592-001		NSS9 evo2 Sun Cover	33.91	39.00
000-11599-001		NSS evo2 & ZEUS² 9 Edge Bezels (Pair)	19.99	22.99
000-11594-001		NSS12 evo2 Sun Cover	33.91	39.00
000-11600-001		NSS evo2 & ZEUS² 12 Edge Bezels (Pair)	21.73	24.99
000-11596-001		NSS16 evo2 Sun Cover	42.61	49.00
000-11601-001		NSS16 evo2 Edge Bezels	24.34	27.99
000-11604-001		NSS16 evo2 VESA MOUNT ADAPTOR KIT	33.91	39.00
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01
000-10467-001		Gimbal Bracket Knobs for Lowrance HDSGen2T/Elite7, Simrad NSS/NSSevo2, B&G Zeus2	33.91	39.00
000-10464-001		NSS7 MOUNTING BRACKET	60.00	69.00
000-10465-001		MOUNTING BRACKET, NSS-9 EVO2, ZEUS2-9	68.70	79.01
000-10466-001		MOUNTING BRACKET, NSS-12 EVO2, ZEUS2-12	68.70	79.01
AA010189		3G/4G RI10 Radar Interface box.	242.61	279.00

GO

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12675-004		GO5 XSE navigation display for the recreational power boater who is looking for an all in one navigation product for cruising, fishing and watersports. GO5's compact size makes it an ideal choice for small runabout boats with limited dash space. Nav+ chart card of Australia and New Zealand.	1077.39	1239.00
000-14448-001		7-inch chartplotter and radar display with global basemap.	1025.22	1179.00
000-14447-001		7-inch chartplotter and radar display with TotalScan™ transducer.	1164.35	1339.00
000-14322-001		7-inch chartplotter and radar display with TotalScan™ transducer and Navionics+ charts for Australia and New Zealand.	1364.35	1569.00
000-14321-001		7-inch chartplotter and radar display with TotalScan™ transducer and C-MAP MAX-N charts for Australia and New Zealand.	1268.70	1459.00
000-14323-001		7-inch chartplotter and radar display with Broadband 3G™ radar and Navionics+ charts for Australia and New Zealand.	3016.52	3469.00
000-13212-005		Simrad GO9 XSE Multi-function display with built in Echosounder, GPS and Wi-Fi. Super-bright, 9 inch multi-touch widescreen display with NMEA 2000 and radar interface. Includes TotalScan transducer and C-MAP MAX-N Chart of New Zealand and Australia.	2051.30	2359.00
000-14442-001		12-inch chartplotter and radar display with global basemap.	3407.83	3919.00
000-14144-001		12-inch chartplotter and radar display with TotalScan™ transducer and C-MAP MAX-N charts for Australia and New Zealand..	3651.30	4199.00
000-14441-001		12-inch chartplotter and radar display with TotalScan™ transducer.	3555.65	4089.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	60.00	69.00
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-10760-001		NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	77.39	89.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	303.48	349.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns: Available Q1 2017	338.26	389.00
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft): Available Q1 2017	1016.52	1169.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	260.00	299.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector: Available Q1 2017	190.43	218.99
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - black 9 pin connector: Available Q1 2017	1373.04	1579.00
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	190.43	218.99
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	1442.61	1659.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	1442.61	1659.00
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00

Part Number		Description	RRP exclu.	RRP inclu.
000-12351-001		SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Blue 7 pin connector: Cable length 10 m (33.0 ft)	1581.74	1819.00
000-11029-001		Plastic StructureScan™ HD thru-hull transducer	712.17	819.00
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-00099-006		StructureScan™ Transducer extension cable (10ft)	86.09	99.00
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	86.09	99.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	660.00	759.00
000-13703-001		AUTO-STBY BUTTON METAL	51.30	59.00
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01

Navigation Systems

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12371-001		Panel mount kit for GO7 & Vulcan 7 multi-function displays: This kit is for mounting the display in to a panel or dashboard. The kit includes a cutout template, a gasket and mounting hardware kit.	20.86	23.99
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit Ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 meters (33 feet) in length.	2086.09	2399.00
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2816.52	3239.00
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1877.39	2159.00
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2607.83	2999.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-12569-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector	277.39	319.00
000-12728-001		HDI Skimmer MED/HIGH 455/800 transdcuer. 9 pin Black xSonic Connector	146.96	169.00
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	216.52	249.00
000-0106-77		HST - DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	320.87	369.00
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-11852-001		AIRMAR IDST800L 235F B-122-RETR 6M	946.96	1089.00
000-10960-001		DST800, BRONZE THRU-HULL TDX, 235KH, N2K	660.00	759.00
000-11738-001		DT800,Plastic, 1.8m (6 ft cable),NO SPEED CONNECTION: Zero degree tilted element as opposed to 12.5 degree tilt. Comes with a 51mm plastic flanged thru hull housing. Sensor uses standard PGNs and comes with MicroC connectors enabling easy connection to an NMEA2000 backbone.	546.96	629.00

Part Number		Description	RRP exclu.	RRP inclu.
22098586		ST800 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560)	173.04	199.00
22098552		DST800 active D/S/T TH plastic 235 kHz transducer.	546.96	629.00
000-10652-001		Wind sensor with 20m (66 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C network	833.91	959.00
000-10647-001		Wind sensor with 35m (115 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C network	886.09	1019.00
000-11518-001		Fluid Level Sensor: Transmits the tank level from a suitable tank level sender unit on the the NMEA 2000 network. Replaces EP-65	170.06	195.57
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware.	303.48	349.00
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20ft)	155.65	179.00
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	1007.83	1159.00
000-12374-001		Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	33.91	39.00
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	19.12	21.99
000-12366-001		FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	42.61	49.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14230-001		Bezel for Simrad GO7 XSR and B&G Vulcan 7R	25.22	29.00
000-14229-001		Dash mount kit for Simrad GO7 XSR and B&G Vulcan 7R	33.91	39.00
000-14227-001		GO7 XSR Suncover	24.34	27.99
000-13702-001		Gimbal bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7,	51.30	59.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	25.22	29.00
000-13699-001		Dash mount kit for Simrad GO9 and B&G Vulcan 9.	25.22	29.00
000-13698-001		Suncover for Simrad GO9 XSE	33.91	39.00
000-13171-001		GO5,V5 PWR/N2K CABLE	51.30	59.00
000-13170-001		GO5,V5,BEZEL	14.77	16.99
000-13169-001		GO5,V5,DASH MOUNT KIT	17.38	19.99
000-10027-001		QUICK RELEASE BRACKET: - MARK 4 & 5 - ELITE 3, 4 & 5 - Elite TI 5 & 7 - GO5 - Vulcan 5	33.91	39.00
000-12728-001		HDI Skimmer MED/HIGH 455/800 transdcuer. 9 pin Black xSonic Connector	146.96	169.00
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01
000-10467-001		Gimbal Bracket Knobs for Lowrance HDSGen2T/Elite7, Simrad NSS/NSSevo2, B&G Zeus2	33.91	39.00
000-12367-001		SUNCOVER,GO7	25.22	29.00
000-12373-001		Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	19.12	21.99
000-12372-001		Mounting Bracket GO7 XSR and Vulcan 7R	42.61	49.00

Remotes

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12364-001		SIMRAD OP50 wired remote controller. (Portrait mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00
000-12512-001		SIMRAD OP50 wired Remote controller. (Landscape mount) For use with Simrad NSS and NSO evo2 MFD systems and brings simple and precise MFD control in even the roughest sea conditions. Comes with Molded 1.8 m (6 ft) cable with Micro-C connector and Micro-C T joiner.	651.30	749.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-12745-001		OP50/ZC2 Flush mount bracket kit	103.48	119.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-12743-001		OP50/ZC2 SUNCOVER	17.38	19.99
000-12744-001		OP50/ZC2 DASH KIT (GASKET BEZEL SCREW)	17.38	19.99
000-10394-001		OP40 Suncover	42.61	49.00
000-00139-001		NSE/OP40/NSS Rotary Knob	25.22	29.00

R2009/R3016

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12186-001		R2009 Radar Control Unit 9": The Simrad R2009 is a dedicated Radar Control Unit with integrated 9-inch portrait display, compatible with a range of Simrad radar solutions including Halo™ Pulse Compression,Broadband 3G™/4G™, and HD Digital Radar.	1616.52	1859.00
000-12188-001		The Simrad R3016 is a dedicated Radar Control Unit with integrated 16-inch widescreen display, compatible with a range of Simrad radar solutions including Halo™ Pulse Compression, Broadband 3G™/4G™, and HD Digital Radar.	3833.91	4409.00
000-12192-001		Simrad R2009 3G™ kit is a dedicated 9" portrait Radar Control Unit and 3G Broadband Radar. The kit includes R2009 radar control unit, 3G Broadband Radar, RI-10 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	3329.57	3829.01
000-12193-001		Simrad R2009 4G™ kit is a dedicated 9" portrait Radar Control Unit and 4G Broadband Radar. The kit includes R2009 radar control unit, 4G Broadband Radar, RI-10 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	4042.61	4649.00
000-12194-001		Simrad R2009 HALO™-3 kit is a dedicated 9" portrait Radar Control Unit and HALO-3 Pulse Compression Radar. Kit includes R2009 radar control unit, Halo pedestal and 3ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable	8381.74	9639.00
000-12198-001		Simrad R3016 HALO™-3 kit is a dedicated 16" widescreen Radar Control Unit and HALO-3 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 3ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	10607.83	12199.00
000-12199-001		Simrad R3016 HALO™-4 kit is a dedicated 16" widescreen Radar Control Unit and HALO-4 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 4 ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	11416.52	13129.00
000-12200-001		Simrad R3016 HALO™-6 kit is a dedicated 16" widescreen Radar Control Unit and HALO-6 Pulse Compression Radar. Kit includes R3016 radar control unit, Halo pedestal and 6 ft antenna, RI-12 interface, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable.	12120.87	13939.00
000-12196-001		Simrad R3016 10 kW 6 foot antenna radar kit is a dedicated 16" widescreen Radar Control Unit and 10 kW HD Radar. Kit includes R3016 radar control unit, 10 kW pedestal and 6 ft antenna, 10 kW radar processor, Interconnection cable 20m (66 ft), 1.8 m (6 ft) Ethernet cable and 5 pin yellow to RJ45 adapter cable	9912.17	11399.00
000-12189-001		O2000 wired remote controller for Pro Radar: Ideal for dual-helm vessels. Designed to control up to 4 radar control units. Multiple O2000 Controllers allowed on the network. Mark/MOB key to mark the position on networked displays.	607.83	699.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00

Radar

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-11464-001		ANTENNA, RADAR, HALO, 3FT	868.70	999.01
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1564.35	1799.00
000-11466-001		ANTENNA, RADAR, HALO, 6FT	2294.78	2639.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6442.61	7409.00
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6112.17	7029.00
000-11476-001		TXL-25S-7 LOW Emission 25kW 7ft Antenna with 20m (65 ft) antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	17120.87	19689.00
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
24006694		SimNet heading sensor input. AT10HD, NMEA0183 to SimNEt converter. Fast heading information only.	164.35	189.00
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
AA010070		NSO 12 pin utility cable	45.88	52.76
AA010093		20 m (66 ft) cable for 10/25 kW	729.57	839.01
000-10905-001	Missing Image	CABLE,BB RADAR,EXTERNAL,5M	103.48	119.00
AA010211		3G/4G Scanner connection cable - 10 m (33 ft)	164.35	189.00
AA010213		3G/4G Scanner connection cable - 30 m (98 ft)	364.35	419.00
000-10904-001	Missing Image	CABLE,BB RADAR,EXT EXTENSION,2M	94.78	109.00
000-12189-001		O2000 wired remote controller for Pro Radar: Ideal for dual-helm vessels. Designed to control up to 4 radar control units. Multiple O2000 Controllers allowed on the network. Mark/MOB key to mark the position on networked displays.	607.83	699.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12520-001		BEZEL ASSEMBLY EDGE S2016 & R3016	24.34	27.99
000-12519-001		BEZEL ASSEMBLY EDGE S2009 & R2009	20.86	23.99
000-12413-001		SUNCOVER S2009 & R2009	94.78	109.00

Halo

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11469-001		Simrad HALO-3 Pulse Compression Radar. With 3 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	7564.35	8699.00
000-11470-001		Simrad HALO-4 Pulse Compression Radar. With 4 ft antenna, RI-12 Interface module and 20 m (66 ft) cable	8433.91	9699.00
000-11471-001		Simrad HALO-6 Pulse Compression Radar.With 6 ft antenna, RI-12 Interface module and 20 m (66 ft) cable.	9303.48	10699.00
000-14072-001		VelocityTrack™ technology provides instant visual feedback on the motion of moving radar targets in relation to your boat. This powerful add-on offers yet another way for Halo™ radar to improve your situational awareness and reduce your risk of collision. Using the Doppler effect, the VelocityTrack™ feature is able to detect motion on the first radar sweep for a useful view straight from standby. This feature is available for any new or existing Halo™ radar system via the purchase of a one-time unlock code. Radar system requires a heading sensor with 10 Hz output or greater. This needs to be connected to the RI12	573.04	659.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-14072-001		VelocityTrack™ technology provides instant visual feedback on the motion of moving radar targets in relation to your boat. This powerful add-on offers yet another way for Halo™ radar to improve your situational awareness and reduce your risk of collision. Using the Doppler effect, the VelocityTrack™ feature is able to detect motion on the first radar sweep for a useful view straight from standby. This feature is available for any new or existing Halo™ radar system via the purchase of a one-time unlock code. Radar system requires a heading sensor with 10 Hz output or greater. This needs to be connected to the RI12	573.04	659.00
000-11464-001		ANTENNA, RADAR, HALO, 3FT	868.70	999.01
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1564.35	1799.00
000-11466-001		ANTENNA, RADAR, HALO, 6FT	2294.78	2639.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01

Part Number		Description	RRP exclu.	RRP inclu.
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
000-10905-001	Missing Image	CABLE,BB RADAR,EXTERNAL,5M	103.48	119.00
AA010211		3G/4G Scanner connection cable - 10 m (33 ft)	164.35	189.00
AA010213		3G/4G Scanner connection cable - 30 m (98 ft)	364.35	419.00
000-10904-001	Missing Image	CABLE,BB RADAR,EXT EXTENSION,2M	94.78	109.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
151-10435-001		HALO SPARE,MOTOR ASSY,TYPE-1 (AA): For certified technicians only	642.61	739.00
151-10436-001		HALO SPARE,MOTOR ASSY,TYPE-2 (AN): For certified technicians only	755.65	869.00
151-10437-001		HALO SPARE,GEAR ASSY. For certified technicians only	164.35	189.00
000-11464-001		ANTENNA, RADAR, HALO, 3FT	868.70	999.01
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1564.35	1799.00
000-11466-001		ANTENNA, RADAR, HALO, 6FT	2294.78	2639.00
151-10439-001		HALO SPARE,PED END CAP W/LED,LEFT: For certified technicians only Kit Includes Left Case Assembly with LED and replacement case seal.	373.04	429.00
151-10440-001		HALO SPARE,CPU ASSY: For certified technicians only	720.87	829.00
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	77.39	89.00
000-12515-001		HALO SPARE,ANT MOUNT KIT	51.30	59.00
151-10444-001		HALO SPARE,PED CABLE KIT: For certified technicians only	120.87	139.00
151-10446-001		HALO SPARE,PED SEAL KIT	51.30	59.00

Part Number		Description	RRP exclu.	RRP inclu.
151-10447-001		HALO SPARE, ANT END CAP, OUT ONLY	42.61	49.00
151-10465-001		HALO SPARE,AZIMUTH ASSY	68.70	79.01
151-10466-001		HALO SPARE,MOTOR CAPACITOR ASSY,39K	94.78	109.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
AA010212		3G/4G Scanner connection cable - 20 m (66 ft)	277.39	319.00

Broadband

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10421-001		4G Broadband Radar: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2729.57	3139.00
000-10420-001		3G Broadband Radar for Simrad: Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow Ethernet cable - 1.8 m (6 ft)	2216.52	2549.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10760-001		NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	77.39	89.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-0127-45		SimNet to N2K Adaptor Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	146.96	169.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
PT3010		PT3010 4° wedge for composite and aluminium PowerTower for Broadband Radar	181.74	209.00
AA010189		3G/4G RI10 Radar Interface box.	242.61	279.00
000-10905-001	Missing Image	CABLE,BB RADAR,EXTERNAL,5M	103.48	119.00
AA010211		3G/4G Scanner connection cable - 10 m (33 ft)	164.35	189.00
AA010212		3G/4G Scanner connection cable - 20 m (66 ft)	277.39	319.00
AA010213		3G/4G Scanner connection cable - 30 m (98 ft)	364.35	419.00

Radar

Part Number		Description	RRP exclu.	RRP inclu.
000-10904-001	Missing Image	CABLE,BB RADAR,EXT EXTENSION,2M	94.78	109.00
000-10795-001		SC20 Mast mount kit for Broadband Radar	607.83	699.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
AA010189		3G/4G RI10 Radar Interface box.	242.61	279.00

HD Radar

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11478-001		TXL-10S-6 10 kW 6 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6442.61	7409.00
000-11477-001		TXL-10S-4: 10 kW 4 ft open array low emission radar kit. With 20m antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	6112.17	7029.00
000-11476-001		TXL-25S-7 LOW Emission 25kW 7ft Antenna with 20m (65 ft) antenna cable, Radar processor,Ethernet cable Yellow MM 2 m (6.5 ft), Ethernet adapter cable RJ45 - 5 Pin yellow.	17120.87	19689.00
TX06S-1		TX06S-1 6 kW, 4 ft open array Radar Kit. Parts included: 6 kW 4' scanner with 20 m (66 ft) cable, HD Radar Processor, RJ45 to 5 Pin Yellow (F) Adapter (Straight Though), Ethernet cable Yellow MM 2 m (6.5 ft)	3860.00	4439.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
24006694		SimNet heading sensor input. AT10HD, NMEA0183 to SimNEt converter. Fast heading information only.	164.35	189.00
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00
AA010070		NSO 12 pin utility cable	45.88	52.76
AA010093		20 m (66 ft) cable for 10/25 kW	729.57	839.01
000-10438-001		Ethernet adapter Straight RJ45 M to yellow 5 pin F 0.2m (8")	42.61	49.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12592-001		Navico 10 kW radar processor WinCE	1138.26	1309.00
000-12593-001		Navico 25 kW radar processor WinCE	1138.26	1309.00
AA010092	Missing Image	20 m (66 ft) cable for TX06S 6 kW	729.57	839.01
AA010093		20 m (66 ft) cable for 10/25 kW	729.57	839.01
000-10438-001		Ethernet adapter Straight RJ45 M to yellow 5 pin F 0.2m (8")	42.61	49.00

S2009/S2016

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12185-001		Simrad S2009 Dedicated Fish Finder, 9-inch portrait display. fish-finder with integrated Broadband Sounder™ module and CHIRP technology	1292.82	1486.74
000-12187-001		S2016 Dedicated fish-finder with Broadband Sounder™ module and CHIRP technology. 16" Widescreen LCD display	3881.06	4463.22

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		9 TO 7 PIN XD adapter for Airmar XID Transdcuers. Allows XSonic 9 Pin Transducers with XID to connect to a legacy 7 pin echo sounder module	60.00	69.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-12411-001		S2009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	42.61	49.00
000-12351-001		SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Blue 7 pin connector: Cable length 10 m (33.0 ft)	1581.74	1819.00
000-11133-001		BRONZE HDI XDCR 0 TILT 50/200 455/800: Blue 7 pin connector: Cable length 10 m (33.0 ft)	607.83	699.00
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00
000-10046-001		Adapter cable, 7 pin BLUE to bare wires	25.22	29.00
000-00022-001		Adapter cable, 7 pin BLUE to 6 pin LTW	94.78	109.00
000-0106-73		PD - WBL 83/200 kHz shoot-thru or trolling-motor mount skimmer depth	173.04	199.00

Echosounder

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	216.52	249.00
000-0106-77		HST - DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	320.87	369.00
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00
000-11247-001		NSO evo2 NMEA0183/Touch Monitor serial cable 2 m (6.5 ft) Eight core cable. Four for NMEA0183 and four for RS422 serial	24.34	27.99
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware.	303.48	349.00
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20ft)	155.65	179.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12520-001		BEZEL ASSEMBLY EDGE S2016 & R3016	24.34	27.99
000-12519-001		BEZEL ASSEMBLY EDGE S2009 & R2009	20.86	23.99
000-12413-001		SUNCOVER S2009 & R2009	94.78	109.00

Sonar Modules

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13260-001		S5100 high-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	2086.09	2399.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00
000-12395-001		StructureScan 3D Module and Transom mount transdcuer	1477.39	1699.00
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers avalable.	1216.52	1399.00
000-11141-001		SonarHub with LSS HD Transom mount transducer	1207.83	1389.00
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft)	903.48	1039.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		9 TO 7 PIN XD adapter for Airmar XID Transdcuers. Allows XSonic 9 Pin Transducers with XID to connect to a legacy 7 pin echo sounder module	60.00	69.00
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	207.83	239.00
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar's smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer's face, providing solid echo returns: Available Q1 2017	338.26	389.00
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft): Available Q1 2017	1016.52	1169.00
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	260.00	299.00
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDCR: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	373.04	429.00
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	216.52	249.00
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00

Echosounder

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector: Available Q1 2017	190.43	218.99
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - black 9 pin connector: Available Q1 2017	1373.04	1579.00
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	190.43	218.99
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector: Available Q1 2017	1173.04	1349.00
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-12396-001		STRUCTURESCAN 3D XDCR	564.35	649.00
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	77.39	89.00
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1173.04	1349.00
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1555.65	1789.00
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13559-001		StructureScan 3D Transducer Stainless Steel Thru-Hull Single	1886.09	2169.00
000-13560-001		StructureScan 3D Stainless Steel Dual Thru-Hull Transducer	3112.17	3579.00
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-11029-001		Plastic StructureScan™ HD thru-hull transducer	712.17	819.00
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00

Echosounder

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-11133-001		BRONZE HDI XDCR 0 TILT 50/200 455/800: Blue 7 pin connector: Cable length 10 m (33.0 ft)	607.83	699.00
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	86.09	99.00
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-00099-006		StructureScan™ Transducer extension cable (10ft)	86.09	99.00
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft): Available Q1 2017	4712.17	5419.00
000-11040-001	Missing Image	LSS-1 XDCR TO LSS-2 MODULE ADAPTOR	181.74	209.00
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	86.09	99.00
000-13941-001		CM599LH-W AIRMAR CHESTMOUNT: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	5894.78	6779.00
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	86.09	99.00
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	155.65	179.00
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	2138.26	2459.00
000-13940-001		XSONIC AIRMAR PM275LH-W: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00

Echosounder

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-10046-001		Adapter cable, 7 pin BLUE to bare wires	25.22	29.00
000-00022-001		Adapter cable, 7 pin BLUE to 6 pin LTW	94.78	109.00
000-0099-95		TS-1BL Temperature sensor (non-networked)	120.87	139.00
000-0106-73		PD - WBL 83/200 kHz shoot-thru or trolling-motor mount skimmer depth	173.04	199.00
000-0106-74		PDT-WBL 83/200 kHz trolling-motor mount Skimmer® with built-in temp with blue connector	173.04	199.00
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector	146.96	169.00
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	216.52	249.00
000-0106-77		HST - DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	320.87	369.00
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00
000-10377-001		TA-BSM2 Transducer Adapter Cable - 7 PIN BLUE to BARE WIRES BSM-2	23.47	26.99
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware.	303.48	349.00
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20ft)	155.65	179.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	260.00	299.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	86.09	99.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01
000-10411-001	Missing Image	BSM-2 Power cable 2 m (6.5 ft)	69.41	79.82
000-10414-001	Missing Image	BSM-2 Terminal block	33.91	39.00

ForwardScan™

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13578-001		ForwardScan Long Stem housing only.	207.83	239.00
000-11674-001		ForwardScan™ transducer kit with Sleeve and plug with 10m (33ft) Cable	1007.83	1159.00
000-11675-001		ForwardScan™ transducer - No sleeve or plug	651.30	749.00
000-13284-001		ForwardScan Long Stem transducer with Sleeve & Plug.	1416.52	1629.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-00099-006		StructureScan™ Transducer extension cable (10ft)	86.09	99.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13579-001		FORWARDSCAN LS FAIRING ONLY	94.78	109.00
000-13578-001		ForwardScan Long Stem housing only.	207.83	239.00
000-11675-001		ForwardScan™ transducer - No sleeve or plug	651.30	749.00
000-11669-001		FORWARDSCAN SLEEVE AND PLUG-NO XDCR	329.57	379.01
000-12231-001		FORWARDSCAN FAIRING BLOCK	60.00	69.00
000-12230-001		FORWARDSCAN PLUG ONLY	42.61	49.00
000-12232-001		FORWARDSCAN O-RING (Color of supplied O-Ring may vary from shown)	15.64	17.99

StructureScan

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12568-001		TotalScan™ Skimmer Mid/High/StructureScan	303.48	349.00
000-10802-001		StructureScan™ HD Skimmer Transom Mount Transducer	260.00	299.00
000-12396-001		STRUCTURESCAN 3D XDCR	564.35	649.00
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	77.39	89.00
000-14259-001		TotalScan thru hull transducer with Low and High CHIRP	1442.61	1659.00
000-14257-001		TotalScan thru hull transducer with Medium and High CHIRP	1442.61	1659.00
000-14255-001		StructureScan 3D thru hull transducer with Medium and High CHIRP.	2216.52	2549.00
000-14254-001		StructureScan 3D thru hull transducer with Low and High CHIRP.	2216.52	2549.00
000-13559-001		StructureScan 3D Transducer Stainless Steel Thru-Hull Single	1886.09	2169.00
000-13560-001		StructureScan 3D Stainless Steel Dual Thru-Hull Transducer	3112.17	3579.00
000-11459-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single)	1007.83	1159.00
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair)	1668.70	1919.01
000-11029-001		Plastic StructureScan™ HD thru-hull transducer	712.17	819.00
000-14260-001		TOTALSCAN THRU HULL SINGLE FAIRING Block	164.35	189.00
000-14256-001		STRUCTURESCAN 3D & CHIRP FAIRING	164.35	189.00
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	86.09	99.00
000-00099-006		StructureScan™ Transducer extension cable (10ft)	86.09	99.00
000-11040-001	Missing Image	LSS-1 XDCR TO LSS-2 MODULE ADAPTOR	181.74	209.00
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	86.09	99.00

Part Number		Description	RRP exclu.	RRP inclu.
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	86.09	99.00
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	155.65	179.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	77.39	89.00
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket	86.09	99.00
000-00099-006		StructureScan™ Transducer extension cable (10ft)	86.09	99.00
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	86.09	99.00
000-12602-001		Flat mount bracket for StructureScan 3D Skimmer(r) transducer and TotalScan Skimmer.	86.09	99.00
000-12752-001		Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	155.65	179.00
000-13581-001		STRUCTURESCAN 3D THRUHULL FAIRING BLOCK	112.17	129.00
000-12397-001		StructureScan 3D module. NO TRANSDUCER. Transom mount and through hull transducers avalable.	1216.52	1399.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14260-001		TOTALSCAN THRU HULL SINGLE FAIRING Block	164.35	189.00
000-14256-001		STRUCTURESCAN 3D & CHIRP FAIRING	164.35	189.00
000-12603-001		StructureScan 3D & HD Metal Replacement Bracket	86.09	99.00
000-11224-001		FAIRING LSS HD BRONZE TRANDUCER SPARE	129.57	149.01

XSONIC XDCRs

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		9 TO 7 PIN XD adapter for Airmar XID Transdcuers. Allows XSonic 9 Pin Transducers with XID to connect to a legacy 7 pin echo sounder module	60.00	69.00
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	60.00	69.00
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	207.83	239.00
000-13999-001		XSONIC AIRMAR PM411L-WM	5738.26	6599.00
000-13998-001		XSONIC AIRMAR TM185 M	1251.30	1439.00
000-13997-001		XSONIC AIRMAR TM185 HW TM185HW Wide Beam - CHIRPS across the following bandwidths: —High-Frequency: 150-250 kHz, 25° Constant Beamwidth - Depth & fast-response water-temperature sensor • Urethane housing and stainless steel mounting bracket - Boat Size: 8 m to 12 m (25’ to 40’) - Boat Type: Outboards and I/O - Hull Type: Fiberglass, Wood, Metal -Can retrofit to existing TM258, TM260, TM265, and TM275 bracket	1355.65	1559.00
000-13946-001		XSONIC AIRMAR B45. Black 9 pin connector 10m (33 ft) cable. The B45 is Airmar’s smallest, bronze, thru-hull stem, offering quality design at an economical price. The classic housing is streamlined to deflect aerated water from the transducer’s face, providing solid echo returns: Available Q1 2017	338.26	389.00
000-13964-001		B258 Bronze 1 kW Thru Hull 50/200 Khz Depth/Temp w/HS Fairing Block - Beamwidth: 50 kHz—15° x 21°, 200 kHz—3° x 5°. - Four Elements. - Q at 50 kHz—9, Q at 200 kHz—15. 9 Pin black connector: Cable length 10.1 m (33.0 ft): Available Q1 2017	1016.52	1169.00
000-13944-001		Airmar® TM 150 TRANSOM MOUNT XDCR: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	373.04	429.00
000-13942-001		Xsonic P79 Plastic 600 W In-Hull 50/200 Khz Depth Only : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	216.52	249.00
000-13922-001		XSONIC Airmar® B150M Thru-Hull Transducer 20-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13921-001		XSONIC Airmar® B150M Thru-Hull Transducer 12-degree: black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13920-001		XSONIC Airmar® B150M Thru-Hull Transducer 0-degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	460.00	529.00
000-13919-001		XSONIC P66 Plastic transom mount transducer 50/200kHz Black 9 Pin connector: Available Q1 2017	190.43	218.99

Echosounder

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-13918-001		XSONIC SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13917-001		XSONIC SS164 Stainless Steel Low Profile Thru Hull 1kW 50/200 Khz Depth/Temp (12° tilt) - black 9 pin connector: Available Q1 2017	1373.04	1579.00
000-13916-001		XSONIC SS164 Stainless SteelLow Profile Thru Hull 1kW 50/200 Khz Depth/Temp (0° tilt) - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13915-001		XSONIC P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	190.43	218.99
000-13914-001		XSONIC AIRMAR M260. The M260 is a plastic/urethane, in-hull Broadband transducer, ideal for smaller sportfishing and commercial vessels 8 m (25 ft) and up, fishing in depths of less than 900 m (3000 ft). Black 9 Pin connector: Available Q1 2017	1173.04	1349.00
000-13913-001		SS75H Stainless steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13912-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13911-001		SS75H Stainless Steel 600 W Thru Hull High CHIRP (130-210kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	833.91	959.00
000-13910-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (20° tilt) : Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13909-001		XSONIC SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13908-001		Xsonic SS75M Stainless Steel 600 W Thru Hull Medium CHIRP (80-130kHz) Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	964.35	1109.00
000-13907-001		XSONIC Bronze HDI XDCR 20 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13906-001		XSONIC Bronze HDI XDCR 12 TILT 50/200 455/800: Black 9 Pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13905-001		Bronze HDI XDCR 0 TILT 50/200 455/800: Black 9 Pin pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	564.35	649.00
000-13904-001		XSONIC TM260 Plastic transom-mount. 50/200Khz with diplexer. Depth/temp. 50Khz @ 19 deg; 200Khz @ 6 deg. - Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1173.04	1349.00
000-13786-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (20° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01

Part Number		Description	RRP exclu.	RRP inclu.
000-13785-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (12° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13784-001		XSONIC SS60 Stainless Steel 600 W Thru Hull 50/200 Khz Depth/Temp (0° tilt) : Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	529.57	609.01
000-13783-001		Xsonic SS260 Stainless Steel 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block . - Beamwidth 50 kHz—19°, 200 kHz—6°.- Seven elements. - Q at 50 kHz—8, Q at 200 kHz—8: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1555.65	1789.00
000-13782-001		XSONIC SS175H-W/20 Stainless Steel 20 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13781-001		XSONIC SS175H-W/12 Stainless Steel 12 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13780-001		XSONIC SS175H-W/0 Stainless Steel 0 Degree: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13779-001		XSONIC SS175M 20 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13778-001		XSONIC SS175M 12 degree Medium CHIRP through hull transdcuer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13777-001		XSONIC SS175M 0 degree Medium CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1373.04	1579.00
000-13776-001		XSONIC SS175L 20 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13775-001		XSONIC SS175L 12 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13774-001		XSONIC SS175L 0 degree Low CHIRP through hull transducer. Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	1607.83	1849.00
000-13773-001		XSONIC R509LHW The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the NSSevo3 and S5100 high performance sounder module: Cable length 10 m (33.0 ft): Available Q1 2017	4712.17	5419.00
000-13941-001		CM599LH-W AIRMAR CHESTMOUNT: Black 9 pin connector: Cable length 10 m (33.0 ft): Available Q1 2017	5894.78	6779.00
000-13772-001		XSONIC CM275LH-W CHESTMOUNT: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13771-001		XSONIC B275LH-W AIRMAR Bronze Through hull :DualBlack 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	2138.26	2459.00
000-13940-001		XSONIC AIRMAR PM275LH-W: Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00
000-13770-001		XSONIC TM275LH-W Urethane, Transom-mounted, 42-65 kHz/150-250 kHz Dual Channel CHIRP transducer (Wide Angle): Dual Black 9 pin connectors: Cable length 10 m (33.0 ft): Available Q1 2017	1946.96	2239.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13977-001		9 TO 7 PIN XD adapter for Airmar XID Transdcuers. Allows XSonic 9 Pin Transducers with XID to connect to a legacy 7 pin echo sounder module	60.00	69.00
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	60.00	69.00
000-13262-001		XSONIC PIGTAIL XDCR WIRING BLOCK ADAPTER	207.83	239.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00

Hull Mnt XDCR

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12351-001		SS164 Stainless Steel low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m: Blue 7 pin connector: Cable length 10 m (33.0 ft)	1581.74	1819.00
000-11133-001		BRONZE HDI XDCR 0 TILT 50/200 455/800: Blue 7 pin connector: Cable length 10 m (33.0 ft)	607.83	699.00
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00
000-10046-001		Adapter cable, 7 pin BLUE to bare wires	25.22	29.00
000-00022-001		Adapter cable, 7 pin BLUE to 6 pin LTW	94.78	109.00
000-0099-95		TS-1BL Temperature sensor (non-networked)	120.87	139.00
000-0106-73		PD - WBL 83/200 kHz shoot-thru or trolling-motor mount skimmer depth	173.04	199.00
000-0106-74		PDT-WBL 83/200 kHz trolling-motor mount Skimmer® with built-in temp with blue connector	173.04	199.00
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector	146.96	169.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00
000-13313-001		Connects 7 pin blue plug transducers to the 9 pin XSONIC black sockets on displays.	60.00	69.00

Transom XDCRs

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12569-001		HDI SKIMMER LOW/HIGH 455/800 with 9pin xSonic connector	277.39	319.00
000-12728-001		HDI Skimmer MED/HIGH 455/800 transdcuer. 9 pin Black xSonic Connector	146.96	169.00
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	216.52	249.00
000-0106-77		HST - DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector	320.87	369.00
000-0099-97		ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked)	190.43	218.99
000-0099-06		HS-WS-SS Mtg Kit - Mounting kit for transom mount 83/200 kHz skimmer transducers	22.60	25.99
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	22.60	25.99
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware.	303.48	349.00
000-10976-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20ft)	155.65	179.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable	77.39	89.00
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable	77.39	89.00
000-0099-95		TS-1BL Temperature sensor (non-networked)	120.87	139.00
000-0099-97		ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked)	190.43	218.99
000-0099-06		HS-WS-SS Mtg Kit - Mounting kit for transom mount 83/200 kHz skimmer transducers	22.60	25.99
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	22.60	25.99

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	22.60	25.99

System Packs

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13291-001		AP44 VRF medium capacity pack. Comprising of AP44 controller, Precision 9 compass, RPU80 pump and NAC-2 autopilot computer.	3129.57	3599.00
000-13562-001		AP44 VRF high capacity pack. Comprising of AP44 controller, Precision-9 compass, RPU-160 pump and NAC-3 autopilot computer	3964.35	4559.00
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit Ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 meters (33 feet) in length.	2086.09	2399.00
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2816.52	3239.00
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1877.39	2159.00
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2607.83	2999.00
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	1564.35	1799.00
000-11750-001		DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	2320.87	2669.00
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	2016.52	2319.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	1233.91	1419.00
000-10258-001		Required for connecting Simrad SG05 autopilot computer to Volvo EVC and IPS drives.	3781.74	4349.00
000-12316-001		WR10 Wireless Autopilot remote and Base station	546.96	629.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
20188074		LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below	555.65	639.00

Part Number		Description	RRP exclu.	RRP inclu.
20188082		LFI3000MK2: Required for use on outboard application with LF3000 above	233.91	269.00
20187423	Missing Image	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000	155.65	179.00
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
21116272		Verado Fittings Kit	303.48	349.00
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	364.35	419.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99
000-11772-001		VERADO FITTING KIT FOR PUMP-1	399.13	459.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1146.96	1319.00
000-13766-001		RPU160US: Reversible Pump. For Cylinder Displacement of 9.8 - 33.5 cu. in. (AC42 required). 12V DC	1425.22	1639.00
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	2086.09	2399.00
000-11770-001		PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci	833.91	959.00
000-13703-001		AUTO-STBY BUTTON METAL	51.30	59.00
SIMKIT-1		SimNet Starter Kit-1	225.22	259.00

Autopilot

Part Number		Description	RRP exclu.	RRP inclu.
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	729.57	839.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
22096986		AC70, AC12 and AC42 Terminal Cover	23.47	26.99

Computers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13249-001		The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	1146.96	1319.00
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	2086.09	2399.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
24006793		SG05 AUTOPILOT COMPUTER VOLVO/YAMAHA	1512.17	1739.00
000-10906-001		SG-05 CAN-bus Autopilot for Optimus and Optimus 360 Steering Systems by Seastar	1512.17	1739.00
000-11286-001		SG05 Autopilot Pack for Yamaha Helm Master (includes SG05, Yamaha gateway and Precision 9 heading sensor).	4138.26	4759.00
000-10258-001		Required for connecting Simrad SG05 autopilot computer to Volvo EVC and IPS drives.	3781.74	4349.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	1233.91	1419.00
000-10258-001		Required for connecting Simrad SG05 autopilot computer to Volvo EVC and IPS drives.	3781.74	4349.00
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	729.57	839.00
000-13287-001		OP12 Autopilot Controller.	381.74	439.00
000-12316-001		WR10 Wireless Autopilot remote and Base station	546.96	629.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
20188074		LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below	555.65	639.00
20188082		LFI3000MK2: Required for use on outboard application with LF3000 above	233.91	269.00

Part Number		Description	RRP exclu.	RRP inclu.
20187423	Missing Image	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000	155.65	179.00
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
21116272		Verado Fittings Kit	303.48	349.00
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	364.35	419.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
22096986		AC70, AC12 and AC42 Terminal Cover	23.47	26.99

Controllers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13894-001		The AP48 Autopilot Controller is a premium dedicated control head for Continuum autopilot systems, enhanced with modern glass helm styling.	1233.91	1419.00
000-13289-001		AP44 Autopilot controller: Rotary dial course adjuster, optically bonded 4.1-inch color display	729.57	839.00
000-13287-001		OP12 Autopilot Controller.	381.74	439.00
000-12316-001		WR10 Wireless Autopilot remote and Base station	546.96	629.00
000-10185-001		NF80 Non Follow Up remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.	1155.65	1329.00
000-10183-001		FU80 Follow UP remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws, loose steering lever. Take command and Mode buttons. Provides course change in Auto mode.	1155.65	1329.00
000-10184-001		QS80 Quickstick remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.	1164.35	1339.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14074-001		A2004/AP48 MOUNTING BRKT KIT	42.61	49.00
000-13250-001		The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	2086.09	2399.00
000-10402-001		Volvo EVC Kit for IPS (includes SG05, Precision 9, Volvo Gateway)	5555.65	6389.00
000-10258-001		Required for connecting Simrad SG05 autopilot computer to Volvo EVC and IPS drives.	3781.74	4349.00
000-12360-001		WRIST STRAP FOR WR10 REMOTE CONTROLLER	24.34	27.99
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
20188074		LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below	555.65	639.00

Autopilot

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
20188082		LFI3000MK2: Required for use on outboard application with LF3000 above	233.91	269.00
20187423	Missing Image	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000	155.65	179.00
000-13335-001		NAC-2 Autopilot Core Pack: Comprising of the low-current NAC-2 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit Ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 meters (33 feet) in length.	2086.09	2399.00
000-13336-001		NAC-3 Autopilot Core Pack: Comprising of the high-current NAC-3 autopilot computer, Precision-9 compass and RF-25 rudder feedback unit.	2816.52	3239.00
000-13337-001		NAC-2 VRF Core Pack: Comprising of the low-current NAC-2 autopilot computer and Precision-9 compass.	1877.39	2159.00
000-13338-001		NAC-3 VRF Core Pack: Comprising of the high-current NAC-3 autopilot computer and Precision-9 compass.	2607.83	2999.00
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
21116272		Verado Fittings Kit	303.48	349.00
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	364.35	419.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99
22096572		AP28 / AP60 Weather Cover	25.22	29.00
000-10863-001	Missing Image	OP10 CLIP MOUNT KIT	33.91	39.00
000-10160-001	Missing Image	AP24/IS20/IS70 Sun Cover	17.38	19.99

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.22	29.00
000-14075-001		A2004 / AP48 Dash mounting kit	42.61	49.00
000-13952-001		INSTALL KIT TRITON2 PILOT/OP12	19.12	21.99
000-13951-001		INSTALL KIT AP44	19.12	21.99

Part Number		Description	RRP exclu.	RRP inclu.
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	19.12	21.99
000-13724-001		SUNCOVER,AP44 DISPLAY	19.12	21.99
000-10863-001	Missing Image	OP10 CLIP MOUNT KIT	33.91	39.00

Sensors

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-12308-001		HS60 GPS COMPASS	1207.83	1389.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-10756-001		RF25N, Rudder Feedback Unit: With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable	433.91	499.00
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
22011415		RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box	807.83	929.00
20188074		LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below	555.65	639.00
20188082		LFI3000MK2: Required for use on outboard application with LF3000 above	233.91	269.00
20187423	Missing Image	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000	155.65	179.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	77.39	89.00
000-0127-45		SimNet to N2K Adaptor Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	146.96	169.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
AA010212		3G/4G Scanner connection cable - 20 m (66 ft)	277.39	319.00
20193454	Missing Image	RF300 Transmission Linkage	94.78	109.00
22011183	Missing Image	RF45 TRANSMISSION LINK ASS'Y	216.52	249.00

Pumps/Drives

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13765-001		RPU80US: Reversible Pump. For Cylinder Displacement of 4.9 - 15.2 cu. in. (AC12 required). 12V DC	1138.26	1309.00
000-13766-001		RPU160US: Reversible Pump. For Cylinder Displacement of 9.8 - 33.5 cu. in. (AC42 required). 12V DC	1425.22	1639.00
000-13767-001		RPU300 All Region, 12 V: Drive Unit Complete. For Cylinder Displacement of 23–36 cu. in. (NAC-3 / AC42 required)	2086.09	2399.00
000-13768-001		RPU300 All region, 24 V: With 24 V motor and same flow rate (183cui/min), as standard RPU300. For Cylinder Displacement of 290-960 cm3Requires 24 or 32 V DC input. (NAC-3 / AC42 required)	2086.09	2399.00
000-13697-001		SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	2181.74	2509.00
21119896		DD15 Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (AC42 required)	4216.52	4849.00
000-11771-001		HELM-1 FOR NAC-1 & NAC-2	1755.65	2019.00
000-10907-001		Helm Drive Straight shaft, type S. (Steering Wheel not included)	1764.35	2029.00
000-11770-001		PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci	833.91	959.00
000-13902-001		HYDRAULIC RAM T0 12V: High power, efficient drive units for maximum power with minimum consumption Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure Fully Integrated (T0, T1 and T2 units) hydraulic system, no external hoses, reservoirs etc. Always remember to use the fully laden displacement of your boat when selecting a pilot. Typically a yacht fully provisioned with the water and fuel tanks full, can be as much as 20% above the designed displacement. If your boat falls between two pilot types, choose the larger pilot type - an under rated pilot may not be able to perform adequately when you need it most.	2086.09	2399.00
RAM-T2-12V		Hydraulic Ram T2 12V: High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	3181.74	3659.00
RAM-T2-24V		Hydraulic Ram T2 24V	3181.74	3659.00
000-13788-001		Hydraulic Ram T3 12V	3981.74	4579.00
RAM-T3-24V		Hydraulic Ram T3 24V	4242.61	4879.00
RAM-T1-12V		Hydraulic Ram T1 12V	2694.78	3099.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
21116272		Verado Fittings Kit	303.48	349.00
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	364.35	419.00
44172096		DL2030 Draglink for DD15. Length: 200-300 mm. 7.9” – 11.8”. AC12 required.	407.83	469.00
44172088		DL3040 Draglink for DD15. Length: 300-400 mm. 11.8” - 15.7”.	407.83	469.00
44172104		DL4050 Draglink for DD15. Length: 400-500 mm. 15.7” - 19.7”.	407.83	469.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
20997953		RPU80/100/150/160/200 Seal Kit	120.87	139.00
21101258		RPU80/160/300 US Type Fittings (3 pcs)	242.61	279.00
21118617		Brush, Pair, RPU80, FRACMO	86.09	99.00
21118633		Brush, Pair (RPU160) FRACMO	94.78	109.00
21118625		Brushes, Pair, RPU300, FRACMO	94.78	109.00
21118666		Brush, LEMAC RPU80/160, Pair	129.57	149.01
21118682		Brush (Pair) RPU300,LEMAC,Long	181.74	209.00

Tiller pilots

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
TP10		Tillerpilot TP10	738.26	849.00
TP22		The TP22 is a reliable and robust autopilot for tiller steered boats up to 34ft in length. Low power draw and precise steering capabilities couple together with minimal noise, allowing you to enjoy some smooth sailing.	1051.30	1209.00
TP32		The TP32 is a reliable and robust autopilot, which has been optimised to draw as little power as possible and operate extremely quietly, making it ideal for sailboats up to 37ft.	1460.00	1679.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
CB1		Cantilever bracket 135-240 mm (5.31-9.44 in)	138.26	159.00
TB30		Tiller bracket 30 mm (1.2 in)	68.70	79.01
TB60		Tiller bracket 60 mm (2.4 in)	68.70	79.01
TB90		Tiller bracket 90 mm (3.6 in)	68.70	79.01
TB120		Tiller bracket 120 mm (4.8 in)	68.70	79.01
PB30		Pedestal bracket 30 mm (1.2 in)	112.17	129.00
PB60		Pedestal bracket 60 mm (2.4 in)	112.17	129.00
PB90		Pedestal bracket 90 mm (3.6 in)	112.17	129.00
PRE30		Pushrod extension 30 mm (1.2 in)	42.61	49.00
PRE60		Pushrod extension 60 mm (2.4 in)	42.61	49.00
PRE90		Pushrod extension 90 mm (3.6 in)	42.61	49.00

Part Number		Description	RRP exclu.	RRP inclu.
PRE120		Pushrod extension 120 mm (4.8 in)	42.61	49.00
PRE150		Pushrod extension 150 mm (6.0 in)	42.61	49.00
PRE300		Pushrod extension 300 mm (12.0 in)	68.70	79.01
SKT100	Missing Image	SKT100	112.17	129.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
TPPK21	Missing Image	TP10 MAIN PCB	233.91	269.00
TPPK22	Missing Image	TP32 DRIVE ASSY	616.52	709.00
TPPK29	Missing Image	TPXX TILLER PIN AND CUP	18.25	20.99
TPPK321	Missing Image	TP32/22 PLUG, SOCKET & MOUTNING PIN	216.52	249.00

Commercial

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11217-001		AP60 Pack (AP60 + AC70 + RF300)	3277.39	3769.00
000-11219-001		AP60 Thruster Pack (AP60+AC70+RF300+SD80)	4746.96	5459.00
000-11218-001		AP60 Thruster Pack (AP60+AC70+RF300+AD80)	4746.96	5459.00
000-10578-001		AP70 Thruster Pack (AP70, AC70, RF300, SD80)	5955.65	6849.00
000-11220-001		AP60 Simrad Autopilot Control Unit	1225.22	1409.00
000-10182-001		AP70 Control unit; AP70 Control Unit with user manual, 6m (19.6 ft) cable with connectors in both ends, T-connector, 2m (6 ft) power cable with connector in one end, gasket for panel mounting and mounting screws. Supply 12-24VDC.	2146.96	2469.00
000-10186-001		AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC.	2120.87	2439.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.22	29.00
000-10182-001		AP70 Control unit; AP70 Control Unit with user manual, 6m (19.6 ft) cable with connectors in both ends, T-connector, 2m (6 ft) power cable with connector in one end, gasket for panel mounting and mounting screws. Supply 12-24VDC.	2146.96	2469.00
000-10186-001		AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC.	2120.87	2439.00
000-12316-001		WR10 Wireless Autopilot remote and Base station	546.96	629.00
000-12607-001		The Precision-9 Compass. Outputs Heading (20Hz), Rate Of Turn (20 Hz), roll, and pitch (10 hZ) over the NMEA 2000® network.	946.96	1089.00
000-10185-001		NF80 Non Follow Up remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.	1155.65	1329.00

Autopilot

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-10183-001		FU80 Follow UP remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws, loose steering lever. Take command and Mode buttons. Provides course change in Auto mode.	1155.65	1329.00
000-10184-001		QS80 Quickstick remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode.	1164.35	1339.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
000-10756-001		RF25N, Rudder Feedback Unit: With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable	433.91	499.00
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
22011415		RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box	807.83	929.00
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99
22096572		AP28 / AP60 Weather Cover	25.22	29.00
000-10590-001		AP70/AP80/MX61X Optional bracket mount kit with knobs.	242.61	279.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-14074-001		A2004/AP48 MOUNTING BRKT KIT	42.61	49.00
000-14075-001		A2004 / AP48 Dash mounting kit	42.61	49.00
000-11220-001		AP60 Simrad Autopilot Control Unit	1225.22	1409.00
000-10186-001		AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC.	2120.87	2439.00

Part Number		Description	RRP exclu.	RRP inclu.
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone 0.5 m (1.6 ft)	68.70	79.01
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99
22096572		AP28 / AP60 Weather Cover	25.22	29.00
22096986		AC70, AC12 and AC42 Terminal Cover	23.47	26.99
000-10590-001		AP70/AP80/MX61X Optional bracket mount kit with knobs.	242.61	279.00

AIS Class A

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12249-001		AIS V5035 Class A Transceiver	3523.53	4052.06

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12324-001		V5035 AIS JUNCTION BOX	295.61	339.95
000-12325-001		V5035 AIS PILOT PLUG	139.09	159.95
000-12326-001		V0535 AIS GPS ANT W 10M CABLE	173.87	199.95
000-12327-001		V5035 AIS U BRACKET WITH MOUNTING KIT	86.91	99.95
000-12328-001		V5035 AIS 37-PIN EXT CABLE	86.91	99.95
000-12329-001		V5035 AIS 3-PIN POWER CABLE	86.91	99.95

AIS Class B

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13609-001		NAIS-500 class B AIS with GPS-500 GPS antenna	877.39	1009.00
000-13963-001		NAIS-500 + NSPL500 kit. Includes GPS500 antenna and 1.8 m (6ft) Micro-C cable and T connector.	1233.91	1419.00
000-13612-001		NSPL-500	320.87	369.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	164.35	189.00
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	112.17	129.00
AA000223		Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable	42.61	49.00
AA000224		Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable	86.09	99.00
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	68.70	79.01

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-13959-001		NAIS-400/500 ADAPTER CABLE NMEA0183	68.70	79.01

RS90

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11225-001		RS90 Black Box VHF AIS RX SYSTEM	1112.17	1279.00
000-11226-001		HS90 Hand set and speaker kit for the RS90 VHF. Comes with 5m (16.5 ft) cable and cradle	399.13	459.00
000-10791-001		VHF W/L HANDSET,HS35,DSC	199.13	229.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	77.39	89.00
985-10702-001		VHF INTERFACE BOX, VI-10	520.87	599.00
000-11226-001		HS90 Hand set and speaker kit for the RS90 VHF. Comes with 5m (16.5 ft) cable and cradle	399.13	459.00
000-10791-001		VHF W/L HANDSET,HS35,DSC	199.13	229.00
LSH80		Waterproof white horn speaker (8 Ohms) for use with loud hailer.	294.78	339.00
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	164.35	189.00
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	112.17	129.00
AA000223		Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable	42.61	49.00
AA000224		Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable	86.09	99.00

Communications

Part Number		Description	RRP exclu.	RRP inclu.
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	68.70	79.01
AA000400		VHF extension cable 5 m (16 ft)	33.91	39.00
AA000401		VHF mast cable 30 m (98 ft) for 1720 antenna	77.39	89.00
000-10367-001		VMC-1 Mic clips (with Magnet) for RS10, RS12 and RS25	18.25	20.99
000-11228-001		HS90 wired handset for the RS90 VHF	329.57	379.01
000-11728-001	Missing Image	RS90 SCRAMBLER MODULE	399.13	459.00
000-11727-001		RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	120.87	139.00
000-11563-001		CHARGERCRADLE,12V,for HS35/HS90	60.00	69.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11227-001		RS90 Blackbox VHF with AIS (receive only)	773.04	889.00
000-11228-001		HS90 wired handset for the RS90 VHF	329.57	379.01
000-11229-001		RS90 SPEAKER	112.17	129.00
000-11563-001		CHARGERCRADLE,12V,for HS35/HS90	60.00	69.00

RS20/RS35

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13545-001		Simrad RS20 Class D DSC VHF Radio: Entry level VHF radio with NMEA2000 connectivity for GPS position, backlight control and night mode grouping with Simrad MFD's.	355.65	409.00
000-10790-001		RS35 Marine VHF Radio with AIS	555.65	639.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-14055-001		VHF,SUNCOVER,RS20	25.21	28.99
000-14066-001		NAVICO,VHF INTERFACE BOX,TYPE 6	94.78	109.00
000-14059-001		VHF,FLUSH MOUNT KIT,RS20/V20	13.90	15.99
985-10702-001		VHF INTERFACE BOX, VI-10	520.87	599.00
000-10791-001		VHF W/L HANDSET,HS35,DSC	199.13	229.00
LSH80		Waterproof white horn speaker (8 Ohms) for use with loud hailer.	294.78	339.00
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	164.35	189.00
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	112.17	129.00
AA000223		Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable	42.61	49.00
AA000224		Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable	86.09	99.00
AA000352		Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	68.70	79.01
AA000400		VHF extension cable 5 m (16 ft)	33.91	39.00
AA000401		VHF mast cable 30 m (98 ft) for 1720 antenna	77.39	89.00
000-10367-001		VMC-1 Mic clips (with Magnet) for RS10, RS12 and RS25	18.25	20.99
000-11229-001		RS90 SPEAKER	112.17	129.00

Part Number		Description	RRP exclu.	RRP inclu.
000-11567-001		SUN COVER FOR RS35	33.91	39.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-14262-001		VHF,MIC CLIP FOR RS20,V20	10.43	11.99
000-14261-001		VHF,MOUNTING BRACKET,RS20/V20	33.91	39.00
000-14263-001		VHF,MOUNT BRACKET KNOBS,RS20,V20	19.12	21.99
000-11567-001		SUN COVER FOR RS35	33.91	39.00

Handheld VHF

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10786-001		VHF HH36 Handheld VHF radio, with DSC APAC	329.57	379.01

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10017-001	Missing Image	MBC-1 Belt Clip, all models HH36,Link-2	25.22	29.00
000-10016-001		HHA-3 Antenna, all models HH36,Link-2	33.91	39.00
000-11562-001	Missing Image	CHARGER,VHF,CRADLE BC-10 & 12V CIG	51.30	59.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10017-001	Missing Image	MBC-1 Belt Clip, all models HH36,Link-2	25.22	29.00
000-10016-001		HHA-3 Antenna, all models HH36,Link-2	33.91	39.00
000-11569-001		BATTERY,VHF,BP-10,HH36,Link-2	94.78	109.00
000-11566-001		CHARGER,VHF,CRADLE BC-10 & AU PWR ADPTR	68.70	79.01

EPIRB

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10724-001		EP70 Auto: 406mHz EPRIB with automatic float free bracket	1155.65	1329.00
000-10725-001		EP70 Manual: 406mHz Manually Activated EPIRB	903.48	1039.00
000-10726-001		EG70 Auto: 406mHz GPS EPIRB with automatic float free bracket	1312.17	1509.00
000-10727-001		EG70 Manual: 406mHz GPS Manually Activated EPIRB	1112.17	1279.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10734-001		FB70 FLOAT FREE EP70/EG70 BRACKET	381.74	439.00
000-10735-001		MB70 MANUAL EP70/EG70 BRACKET	51.30	59.00
000-10742-001		Programming cable for 70 Series EPIRB's	1390.43	1598.99
000-10736-001	Missing Image	EP70/EG70 5-YEAR BATTERY KIT	425.22	489.00
000-10737-001	Missing Image	HRU-KIT (HYDROSTATIC RELEASE) EP70/EG70	138.26	159.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10736-001	Missing Image	EP70/EG70 5-YEAR BATTERY KIT	425.22	489.00
000-10737-001	Missing Image	HRU-KIT (HYDROSTATIC RELEASE) EP70/EG70	138.26	159.00

SART

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-10728-001		SA70 GMDSS 9GHz Search and rescue radar transponder	1155.65	1329.00
000-10729-001	Missing Image	SA70 AIS-SART GMDSS SEARCH AND RESCUE TRANSMITTERDesigned for use in search and rescue operations, Simrad 's SA70 AIS SART will pinpoint the location of a vessel in distress and give the exact location to nearby ships, SAR vessels and aircrafts.	1103.48	1269.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10731-001		SA70 Life Boat Bracket	173.04	199.00
000-10732-001		SA70 LIFE RAFT POLE	146.96	169.00
000-10730-001		SA70 Wall Bracket	6.08	6.99
000-10733-001	Missing Image	SA70 5 YEARS BATTERY KITIncludes: -Battery unit-O-ring -Label, battery -Label, battery seal	260.00	299.00

IS70

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
27107523		The HR80 ensures that critical heading data can be monitored in the most intuitive fashion via simultaneous display in two complementary formats. As part of the Simrad IS80 instrument range from Simrad Yachting it sets the very highest standards in reliability and accuracy and is ideal for long periods of continuous use in all conditions.	2529.41	2908.82
27107580		IS70 ROT indicator RT70-120. Rate of turn indicator with 120-degree scale	955.65	1099.00
27107572		IS70 ROT indicator RT70-30. Rate of turn indicator with 30-degree scale	955.65	1099.00
27107598		IS70 ROT indicator RT70-300. Rate of turn indicator with 300-degree scale	955.65	1099.00
27107671	Missing Image	IS70 RPM indicator RPM70-3. RPM indicator with 0-3000 RPM scale	955.65	1099.00
27107689		IS70 RPM indicator RPM70-6. RPM indicator with 0-6000 RPM scale	955.65	1099.00
27107630		IS70 Rudder indicator RI70-45. Rudder indicator with 45-degree scale. IEC61162-3. Analogue input +/-10V. Supply 12-24 VDC.	955.65	1099.00
27107648		IS70 Rudder indicator RI70-90. Rudder indicator with 90-degree scale. IEC61162-3. Analog input +/-10V. Supply 12-24 VDC.	955.65	1099.00
27107713		IS70 Speed indicator SP70-25. Speed indicator with 0-25 kts scale	955.65	1099.00
27107721	Missing Image	IS70 Speed indicator SP70-50. Speed indicator with 0-50 kts scale	955.65	1099.00
000-10125-001	Missing Image	Rudder Indicator Pack (RI70-45, RF25)	1338.26	1539.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
24006405		20 m (66 ft) SimNet Wind vane cable	103.48	119.00
24006421		35 m (115 ft) SimNet Wind Vane cable	138.26	159.00
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
22011415		RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box	807.83	929.00
000-11738-001		DT800,Plastic, 1.8m (6 ft cable),NO SPEED CONNECTION: Zero degree tilted element as opposed to 12.5 degree tilt. Comes with a 51mm plastic flanged thru hull housing. Sensor uses standard PGNs and comes with MicroC connectors enabling easy connection to an NMEA2000 backbone.	546.96	629.00
22098586		ST800 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560)	173.04	199.00

Part Number		Description	RRP exclu.	RRP inclu.
22098552		DST800 active D/S/T TH plastic 235 kHz transducer.	546.96	629.00
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99
22098594		Through-hull Stainless steel skin fitting with Sea-valve (for use with DST800, DT800, ST800)	216.52	249.00
000-10568-001	Missing Image	Accessory plug assembly for DST800	33.91	39.00
22098495	Missing Image	2.5 m (8 ft) NMEA Cable for IS20	51.30	59.00
000-10734-001		FB70 FLOAT FREE EP70/EG70 BRACKET	381.74	439.00
000-10735-001		MB70 MANUAL EP70/EG70 BRACKET	51.30	59.00
000-10742-001		Programming cable for 70 Series EPIRB's	1390.43	1598.99
000-10736-001	Missing Image	EP70/EG70 5-YEAR BATTERY KIT	425.22	489.00
000-10737-001	Missing Image	HRU-KIT (HYDROSTATIC RELEASE) EP70/EG70	138.26	159.00
000-10160-001	Missing Image	AP24/IS20/IS70 Sun Cover	17.38	19.99

IS42

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13285-001		IS42 Digital Display: Multi-purpose sailing instrument and autopilot display with a 4.1-inch colour screen, optically bonded for zero condensation and featuring transflective LCD technology for exceptional contrast and visibility in all lighting conditions. 8mm mounting height matches other Simrad MFD's and system components.	660.00	759.00
000-13293-001		IS42 Speed / Depth pack	1260.00	1449.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13950-001		INSTALL KIT TRITON2/IS42	19.12	21.99
000-13723-001		Suncover for Simrad IS42 Display	19.12	21.99

Current

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14440-001		RI-12Cable accessories kit: Phoenix connector 4 pin 3.8 mm, Phoenix connector 4 pin 5 mm, Micro-C T joiner	60.00	69.00
000-14147-001		GO12 Suncover	33.91	39.00
000-14148-001		Mounting braket for Simrad GO12 and B&G Vulcan 12	51.30	59.00
000-14262-001		VHF,MIC CLIP FOR RS20,V20	10.43	11.99
000-14261-001		VHF,MOUNTING BRACKET,RS20/V20	33.91	39.00
000-14246-001		GO12/V12 DASH MOUNT KIT	33.91	39.00
000-14247-001		GO12/V12 Replacement bezel	25.22	29.00
000-14073-001		Suncover for A2004/AP48 autopilot controllers	25.22	29.00
000-14074-001		A2004/AP48 MOUNTING BRKT KIT	42.61	49.00
000-14075-001		A2004 / AP48 Dash mounting kit	42.61	49.00
000-12411-001		S2009 & R2009 Bracket mount kit: Includes bracket, 2 x Knobs and Screws	42.61	49.00
000-12520-001		BEZEL ASSEMBLY EDGE S2016 & R3016	24.34	27.99
000-12519-001		BEZEL ASSEMBLY EDGE S2009 & R2009	20.86	23.99
000-12410-001		S2016 & R2016 DASH MOUNTING KIT	42.61	49.00
000-14060-001		VHF,MOUNTING BRACKET,LINK-6	33.91	39.00
000-14064-001		VHF,MOUNT BRACKET KNOBS,LINK-6	19.12	21.99
000-14062-001		VHF,MIC CLIP FOR LINK-6	10.43	11.99
000-14055-001		VHF,SUNCOVER,RS20	25.21	28.99
000-14066-001		NAVICO,VHF INTERFACE BOX,TYPE 6	94.78	109.00
000-14059-001		VHF,FLUSH MOUNT KIT,RS20/V20	13.90	15.99
000-13613-001		GPS-500: GPS antenna for NAIS-500 AIS transceiver	225.22	259.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13959-001		NAIS-400/500 ADAPTER CABLE NMEA0183	68.70	79.01
000-13960-001		Motor replacement brush for Paravalaux RPU80/160 Motors (pair)	120.87	139.00
000-13956-001		RPU300 MOTOR 24V,PARVALUX	946.96	1089.00
000-13955-001		RPU300 MOTOR 12V,PARVALUX	946.96	1089.00
000-13954-001		RPU160 MOTOR,PARVALUX	686.09	789.00
000-13953-001		RPU80 MOTOR,PARVALUX	642.61	739.00
000-13760-001		NSS16 EVO3 & ZEUS3-16 MOUNTING BRACKET	103.48	119.00
000-13759-001		NSS12 EVO3 & ZEUS3-12 MOUNTING BRACKET	103.48	119.00
000-13758-001		NSS9 EVO3 & ZEUS3 - 9 MOUNTING BRACKET	51.30	59.00
000-14231-001		U-BRACKET, GO7 XSE-R AND VULCAN 7R	51.30	59.00
000-14230-001		Bezel for Simrad GO7 XSR and B&G Vulcan 7R	25.22	29.00
000-13756-001		NSS16 EVO3 & ZEUS3 - 16 DASH MOUNT KIT	42.61	49.00
000-13755-001		NSS12 EVO3 & ZEUS3 - 12 DASH MOUNT KIT	33.91	39.00
000-14229-001		Dash mount kit for Simrad GO7 XSR and B&G Vulcan 7R	33.91	39.00
000-14227-001		GO7 XSR Suncover	24.34	27.99
000-13754-001		NSS9 EVO3 & ZEUS3 - 9 DASH MOUNT KIT	33.91	39.00
000-13753-001		NSS7 EVO3 & ZEUS3 - 7 DASH MOUNT KIT	25.22	29.00
000-13752-001		NSS16 EVO3 & ZEUS3 – 16 EDGE BEZELS	33.91	39.00
000-13751-001		NSS12 EVO3 & ZEUS3 – 12 EDGE BEZELS	25.22	29.00
000-13750-001		NSS9 EVO3 & ZEUS3 – 9 EDGE BEZELS	25.22	29.00
000-13749-001		NSS7 EVO3 & ZEUS3 – 7 EDGE BEZELS	25.21	28.99
000-13748-001		NSS EVO3 & ZEUS3 CHART CARD DOOR	19.12	21.99
000-13743-001		NSS16 evo3 Sun cover	42.61	49.00
000-13742-001		NSS12 evo3 Sun cover	42.61	49.00

Part Number		Description	RRP exclu.	RRP inclu.
000-13741-001		NSS9 EVO3 SUN COVER	42.61	49.00
000-13740-001		NSS7 EVO3 SUN COVER	25.22	29.00
000-13952-001		INSTALL KIT TRITON2 PILOT/OP12	19.12	21.99
000-13951-001		INSTALL KIT AP44	19.12	21.99
000-13950-001		INSTALL KIT TRITON2/IS42	19.12	21.99
000-13725-001		Suncover for Simrad OP12 and B&G Triton² Pilot controllers	19.12	21.99
000-13724-001		SUNCOVER,AP44 DISPLAY	19.12	21.99
000-13723-001		Suncover for Simrad IS42 Display	19.12	21.99
000-13579-001		FORWARDSCAN LS FAIRING ONLY	94.78	109.00
000-13581-001		STRUCTURESCAN 3D THRUHULL FAIRING BLOCK	112.17	129.00
000-13716-001		BRACKET KIT -WTR LVL OR ANTENNA MOUNT	8.69	9.99
000-13702-001		Gimbal bracket for Simrad GO9, NSS7 evo3, and B&G Vulcan9, Zeus3 7,	51.30	59.00
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	25.22	29.00
000-13699-001		Dash mount kit for Simrad GO9 and B&G Vulcan 9.	25.22	29.00
000-13698-001		Suncover for Simrad GO9 XSE	33.91	39.00
000-13703-001		AUTO-STBY BUTTON METAL	51.30	59.00
000-12324-001		V5035 AIS JUNCTION BOX	295.61	339.95
000-12325-001		V5035 AIS PILOT PLUG	139.09	159.95
000-12326-001		V0535 AIS GPS ANT W 10M CABLE	173.87	199.95

Part Number		Description	RRP exclu.	RRP inclu.
000-12327-001		V5035 AIS U BRACKET WITH MOUNTING KIT	86.91	99.95
000-12328-001		V5035 AIS 37-PIN EXT CABLE	86.91	99.95
000-12329-001		V5035 AIS 3-PIN POWER CABLE	86.91	99.95
SIMKIT-1		SimNet Starter Kit-1	225.22	259.00
SIMKIT-2		SimNet Starter Kit-2 with one AT10 NMEA 0183 interface	338.26	389.00
000-10628-001	Missing Image	SIMKIT-3. Micro-C to SimNet.	190.43	218.99
24005829		SimNet cable 0.3 m (1 ft)	60.00	69.00
24005837		SimNet cable 2 m (6.6 ft)	68.70	79.01
24005845		SimNet cable 5 m (16 ft)	86.09	99.00
24005852		SimNet cable 10 m (33 ft) note: for simNet backbone only	94.78	109.00
24006405		20 m (66 ft) SimNet Wind vane cable	103.48	119.00
24006421		35 m (115 ft) SimNet Wind Vane cable	138.26	159.00
24005910		SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	51.30	59.00
24005902		SimNet power cable with terminator 2 m (6.6 ft) -red tip	51.30	59.00
24005860		SimNet 3 Prong Multi-joiner	51.30	59.00
24006298		SimNet 7 Prong Multi-joiner	77.39	89.00
24005894		SimNet termination plug	21.73	24.99

Part Number		Description	RRP exclu.	RRP inclu.
44172260		SimNet joiner yellow without terminator	25.22	29.00
44172278		SimNet joiner red with terminator	25.22	29.00
24006306		SimNet bulkhead T-connector	94.78	109.00
24005886		SimNet protection plug	9.56	10.99
24005878		SimNet cable gland	28.24	32.48
24005928		SimNet cable protection cap	9.41	10.82
24006934	Missing Image	SIMNET NOISE FILTER	33.91	39.00
000-10930-001		Camera with Infra red for low light conditions. Fixed focal length	668.70	769.01
000-11615-001		MO16,VESA MNT BRACKET KIT	94.78	109.00
000-11616-001		MO19,VESA MNT BRACKET KIT	103.48	119.00
000-11618-001		MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	68.70	79.01
000-11773-001		IS35 GAUGE SUNCOVER	19.99	22.99
000-11774-001		Rear mount Kit	33.91	39.00
000-12360-001		WRIST STRAP FOR WR10 REMOTE CONTROLLER	24.34	27.99
000-12359-001		WR10 BT-1 Base station. No Mico-C cables supplied	303.48	349.00
000-12358-001		WR10 Wireless remote autopilot controller.	242.61	279.00
000-11464-001		ANTENNA, RADAR, HALO, 3FT	868.70	999.01
000-11465-001		ANTENNA, RADAR, HALO, 4FT	1564.35	1799.00

Part Number		Description	RRP exclu.	RRP inclu.
000-11466-001		ANTENNA, RADAR, HALO, 6FT	2294.78	2639.00
000-12371-001		Panel mount kit for GO7 & Vulcan 7 multi-function displays: This kit is for mounting the display in to a panel or dashboard. The kit includes a cutout template, a gasket and mounting hardware kit.	20.86	23.99
000-12591-001		6kW Navico Radar black box processor pack (WINCE)	1138.26	1309.00
000-12592-001		Navico 10 kW radar processor WinCE	1138.26	1309.00
000-12593-001		Navico 25 kW radar processor WinCE	1138.26	1309.00
TPPK7	Missing Image	TPXX MOUNT PIN & ROD END	26.08	29.99
000-12742-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus² 12 multi function displays. 3 m (9.8 ft)	77.39	89.00
000-12741-001		HDMI cable: waterproof connector on one end to connect to Simrad NSS evo2 12/16 and B&G Zeus2 12 multi function displays. 10m (33 ft)	138.26	159.00
000-12514-001		HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	77.39	89.00
000-12515-001		HALO SPARE,ANT MOUNT KIT	51.30	59.00
000-12413-001		SUNCOVER S2009 & R2009	94.78	109.00
000-13171-001		GO5,V5 PWR/N2K CABLE	51.30	59.00
000-13170-001		GO5,V5,BEZEL	14.77	16.99
000-13168-001		GO5,SUNCOVER	19.99	22.99
000-12743-001		OP50/ZC2 SUNCOVER	17.38	19.99
000-12746-001		OP50 or ZC2 Dial know with grub screw	51.30	59.00
000-12744-001		OP50/ZC2 DASH KIT (GASKET BEZEL SCREW)	17.38	19.99
000-12745-001		OP50/ZC2 Flush mount bracket kit	103.48	119.00

Spares

Part Number		Description	RRP exclu.	RRP inclu.
000-13169-001		GO5,V5,DASH MOUNT KIT	17.38	19.99
985-10702-001		VHF INTERFACE BOX, VI-10	520.87	599.00
000-12738-001		MISC,HW KIT,TRACK KITS	12.17	14.00
000-12204-001		7" NSS EVO2 & ZEUS-2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	20.86	23.99
000-12205-001		9" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	25.22	29.00
000-12206-001		12" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	33.91	39.00
000-12207-001		16" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	42.61	49.00
000-10027-001		QUICK RELEASE BRACKET: - MARK 4 & 5 - ELITE 3, 4 & 5 - Elite TI 5 & 7 - GO5 - Vulcan 5	33.91	39.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-12622-001		TRACK - GPS & WiFi ant ext cable - 10 m (33 ft) LMR 240	129.57	149.01
000-12623-001		TRACK Cellular antenna ext cable LMR 400 - 10 m (33 ft	103.48	119.00
000-10258-001		Required for connecting Simrad SG05 autopilot computer to Volvo EVC and IPS drives.	3781.74	4349.00
000-12360-001		WRIST STRAP FOR WR10 REMOTE CONTROLLER	24.34	27.99
000-12316-001		WR10 Wireless Autopilot remote and Base station	546.96	629.00
000-10453-001		The HS70 GPS Compass provides a high-accuracy, non-magnetic heading source (Non-IMO).	2729.57	3139.01
20193744		RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable	433.91	499.00
20188074		LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below	555.65	639.00
20188082		LFI3000MK2: Required for use on outboard application with LF3000 above	233.91	269.00
20187423	Missing Image	LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000	155.65	179.00
AA010070		NSO 12 pin utility cable	45.88	52.76

Spares

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
22014286		RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable.	433.91	499.00
21116272		Verado Fittings Kit	303.48	349.00
VERHOSEKIT-6FT		Verado Hose Kit - 6 ft	364.35	419.00
22096820		AP24/AP28/IS20 Optional Mounting Bracket	190.43	218.99

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-13960-001		Motor replacement brush for Paravalaux RPU80/160 Motors (pair)	120.87	139.00
TP10		Tillerpilot TP10	738.26	849.00
TP22		The TP22 is a reliable and robust autopilot for tiller steered boats up to 34ft in length. Low power draw and precise steering capabilities couple together with minimal noise, allowing you to enjoy some smooth sailing.	1051.30	1209.00
TP32		The TP32 is a reliable and robust autopilot, which has been optimised to draw as little power as possible and operate extremely quietly, making it ideal for sailboats up to 37ft.	1460.00	1679.00
20997953		RPU80/100/150/160/200 Seal Kit	120.87	139.00
21101258		RPU80/160/300 US Type Fittings (3 pcs)	242.61	279.00
21118617		Brush, Pair, RPU80, FRACMO	86.09	99.00
21118625		Brushes, Pair, RPU300, FRACMO	94.78	109.00
21118682		Brush (Pair) RPU300,LEMAC,Long	181.74	209.00

IS35

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13334-001		Easily visible day or night, the IS35 is optically bonded for zero condensation. Connected by NMEA2000, the IS35 automatically detects and displays the most relevant information on a series of pre-set or customisable data pages.	555.65	639.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-11774-001		Rear mount Kit	33.91	39.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11773-001		IS35 GAUGE SUNCOVER	19.99	22.99

Transducers

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	660.00	759.00
000-11741-001		120WX Weather Station. Wind, Temperature, Barometric Sensor. Comes with a 6 m (19.8 ft) cable	1164.35	1339.00
000-11852-001		AIRMAR IDST800L 235F B-122-RETR 6M	946.96	1089.00
000-10960-001		DST800, BRONZE THRU-HULL TDX, 235KH, N2K	660.00	759.00
000-11738-001		DT800,Plastic, 1.8m (6 ft cable),NO SPEED CONNECTION: Zero degree tilted element as opposed to 12.5 degree tilt. Comes with a 51mm plastic flanged thru hull housing. Sensor uses standard PGNs and comes with MicroC connectors enabling easy connection to an NMEA2000 backbone.	546.96	629.00
22098586		ST800 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560)	173.04	199.00
22098552		DST800 active D/S/T TH plastic 235 kHz transducer.	546.96	629.00
000-10652-001		Wind sensor with 20m (66 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C network	833.91	959.00
000-10647-001		Wind sensor with 35m (115 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C network	886.09	1019.00
000-10570-001		SimNet WIND VANE INCL. BRACKET & 20M CABLE	842.61	969.00
000-10571-001		SimNet WIND VANE INCL. BRACKET & 35M CABLE	894.78	1029.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-10757-001		20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	94.78	109.00
000-10758-001		35 m (115 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	155.65	179.00
24006405		20 m (66 ft) SimNet Wind vane cable	103.48	119.00
24006421		35 m (115 ft) SimNet Wind Vane cable	138.26	159.00

Part Number		Description	RRP exclu.	RRP inclu.
000-10570-001		SimNet WIND VANE INCL. BRACKET & 20M CABLE	842.61	969.00
000-10571-001		SimNet WIND VANE INCL. BRACKET & 35M CABLE	894.78	1029.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-10757-001		20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	94.78	109.00
000-10758-001		35 m (115 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	155.65	179.00
000-13714-001		Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	660.00	759.00
000-10568-001	Missing Image	Accessory plug assembly for DST800	33.91	39.00
000-11740-001		120WX 6M WEATHER STATION CABLE (NMEA2000 to Device cable)	86.09	99.00

SonicHub

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12302-001		New SonicHub®2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	347.78	399.95
000-12305-001		SIM,6.5" SPEAKERS PAIR	113.00	129.95

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-11049-001	Missing Image	FUSION 20M REMOTE EXTENSION CABLE	94.78	109.00
000-12305-001		SIM,6.5" SPEAKERS PAIR	113.00	129.95

Sensors

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11043-001		GS25 Antenna with built in rate compass. 10 Hz position update rate. Build in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. Note: This heading sensor is not recommended for MARPA or Autopilot control! Please use the Precision 9 for this.	329.57	379.01
000-11517-001		Fuel flow sensor, with 10 ft cable and T-connector	260.00	299.00
000-11518-001		Fluid Level Sensor: Transmits the tank level from a suitable tank level sender unit on the the NMEA 2000 network. Replaces EP-65	170.06	195.57
000-11519-001		Speed though the water sensor: Transom-mount paddle wheel 3.1 m (10ft) cable with Micro-C connector.	173.04	199.00
000-11520-001		Temperature Sensor: Replaces EP-80:	173.04	199.00
000-11521-001		Thru-Hull Temperature Sensor: Replaces EP-80	173.04	199.00
000-11522-001		Fuel Data Manager: Replaces EP-85. Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	173.04	199.00
000-11523-001		Pressure Sensor: Replaces EP-90:	173.04	199.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	77.39	89.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-11148-001	Missing Image	POLE MOUNT GS25/ZG100/POINT-1	51.30	59.00

NMEA2000

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-14376-001		NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	77.39	89.00
000-14377-001		NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	129.57	149.01
000-14378-001		NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	216.52	249.00
000-14379-001		NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	233.91	269.00
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-12612-001		New low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.This replaces 000-10996-001	86.09	99.00
000-10760-001		NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	77.39	89.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0127-53		N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	68.70	79.01
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-83		N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	173.04	199.00
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
000-10828-001		CZONE™ Network Bridge Interface is designed to isolate sections of the NMEA 2000 network to decrease standby current draw. Can be used for Isolation when bridging between two CAN networks, (eg connecting CZone to Simrad Simnet) or for expansion of the NMEA 2000 network, when the maximum node limit (node = any device connected to the NMEA 2000 network) for the network has been reached. Once a Bridge Interface has been fitted, a further 40 nodes can be added.	460.00	529.00
000-12259-001		MICRO-C NETWORK POWER ISOLATOR: Boat builder	33.91	39.00
000-10757-001		20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	94.78	109.00
000-10758-001		35 m (115 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	155.65	179.00

Network

SIMRAD

Part Number		Description	RRP exclu.	RRP inclu.
000-0120-62		Evinrude engine interface cable 4.5 m (15 ft) and T-connector	173.04	199.00
000-0120-37		Yamaha engine interface cable 4.5 m (15 ft) and T-connector	173.04	199.00
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	77.39	89.00
000-0127-45		SimNet to N2K Adaptor Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	146.96	169.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0124-69		NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	77.39	89.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-0119-79		N2K-T-RD - Micro-C T-connector for connection of an additional network device	51.30	59.00
000-0119-88		N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	51.30	59.00
000-0119-86		N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	112.17	129.00
000-0119-75		N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	155.65	179.00
000-0127-52		TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	25.22	29.00
44172260		SimNet joiner yellow without terminator	25.22	29.00
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone 0.5 m (1.6 ft)	68.70	79.01

Ethernet

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-56		Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	51.30	59.00
000-10029-001		NEP-2 Network Expansion Port	433.91	499.00
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00
000-11246-001		RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF	33.91	39.00

Accessories

Part Number		Description	RRP exclu.	RRP inclu.
000-0127-51		Ethernet cable yellow 5 Pin 1.8 m (6 ft)	42.61	49.00
000-0127-29		Ethernet cable yellow 5 Pin 4.5 m (15 ft)	86.09	99.00
000-0127-30		Ethernet cable yellow 5 Pin 7.7 m (25 ft)	129.57	149.01
000-0127-37		Ethernet cable yellow 5 Pin 15.2 m (50 ft)	173.04	199.00

Spare Parts

Part Number		Description	RRP exclu.	RRP inclu.
000-00128-001		Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)	68.70	79.01

SimNet Accy

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
24005936		AT10 Two way general NMEA 0183 to SimNet converter	164.35	189.00
24006694		SimNet heading sensor input. AT10HD, NMEA0183 to SimNEt converter. Fast heading information only.	164.35	189.00
000-00020-001		ST10 Simnet programing Toolkit	216.52	249.00
24006413		Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	77.39	89.00
24006199		Micro-C female to SimNet 1.0 m (3.2 ft) cable that connects a NMEA 2000® product to a SimNet backbone	68.70	79.01
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone 0.5 m (1.6 ft)	68.70	79.01

Navionics

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11446-001		Navionics Platinum+ 8P160XL: New Zealand	364.35	419.00
000-11681-001		NAVIONICS MSD/50XG XL9 Australia and New Zealand	394.17	453.30
000-12248-001	Missing Image	NAVIONICS MSD/NAV UPDATE (ROW-AUS-NZ)	159.35	183.25
000-13190-001		NAVIONICS MSD/NAV+34XG: PACIFIC ISLANDS	346.96	399.00
000-13179-001		NAVIONICS MSD/NAVU34XG: PACFC ISLS UPDTS: Coverage Area Ryukyu Islands, Sakishima gunto, Kita-Io Shima, Io Shima, Minami-Io Shima, Mariana Islands, Caroline Islands, Babel Thuap, Helen Channel, Merir Island, Pulo Anna, Sonsorol Islands, Marshall Islands, Nauru, New Caledonia, New Hebrides, Fiji, Tonga, Samoa, Wallis & Futuna, American Samoa, Niue, Tokelau Islands, Kiribati, Cook Islands, French Polynesia, Pitcairn Island, Iles Loyaute, Santa Cruz Islands, Phoenix Islands, Line Islands, Norfolk Islands, Solomon Islands, New Britain, Admiralty Island, Papua, New Guinea, Doberai Pen, entire Islands of Hawaii, Maui, Kahoolawe, Lanai, Molokai, Oahu, Kauai, Niihau, Nihoa, Necker I., Gardner Pinnacles, Laysan Island, Neva Shoal, Pearl and Hermes Atoll, Midway Islands, Kure Atoll, Johnston Atoll, Kingman Reef, Palmyra Atoll, Maro Reef, French Frigate Shoals, Kholmsk in Russia and Japan.	173.04	199.00
000-13187-001		50 XG covering Australia including Norfolk Islands, New Zealand including Kermadec Islands, Norfolk Islands, and South Pacific Islands.	173.04	199.00

Insight

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-11093-001		INSIGHT PLANNER - DVD	42.61	49.00

C-MAP Max-N+ (W)

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12122-001		AU-Y222 : New Zealand Chatham I. and Kermadec I., MAX-N+: Wide	277.39	319.00
000-12758-001		AU-Y010 : VICTOR HARBOR TO WELLESLEY ISLANDS, MAX-N+: Wide	433.91	499.00
000-12136-001		PC-Y204 : South Pacific Islands, MAX-N+: Wide	373.04	429.00
000-12760-001		AU-Y012 : Cairns to Esperance, MAX-N+: Wide	433.91	499.00
000-12135-001		PC-Y203 : Carolinas Kiribati Marshall Marianas, MAX-N+: Wide	373.04	429.00
000-12759-001		AU-Y011 : Cervantes to Seal Rocks, MAX-N+: Wide	433.91	499.00
000-13473-001		AU-Y060 MAX-N+ C: AUSTRALIA COASTAL CONTINENTAL : Oceania - Continental	320.87	369.00

C-MAP Max-N+ (L)

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12123-001		AU-Y260 : Apollo Bay to Tuross Head, MAX-N+ : Local	199.13	229.00
000-12124-001		AU-Y261 : Tuross Head to Tweed River, MAX-N+ : Local	199.13	229.00
000-12125-001		AU-Y262 : Tweed River to Mackay, MAX-N+ : Local	199.13	229.00
000-12126-001		AU-Y263 : Mackay to Princess Charlotte Bay, MAX-N+ : Local	199.13	229.00
000-12127-001		AU-Y264 : Princess Charlotte Bay to Cape Grey, MAX-N+ : Local	199.13	229.00
000-12129-001		AU-Y266 : Daly River to Onslow, MAX-N+ : Local	199.13	229.00
000-12130-001		AU-Y267 : Onslow Cape to Bouvard, MAX-N+ : Local	199.13	229.00
000-12131-001		AU-Y268 : Cape Bouvard to Port Eyre, MAX-N+ : Local	199.13	229.00
000-12132-001		AU-Y269 : Port Eyre to Apollo Bay, MAX-N+ : Local	199.13	229.00
000-12761-001		AU-Y270 : AU-Y270 mfd, MAX-N+ : Local	217.35	249.95
000-12762-001		AU-Y271 : New Zealand and Chatham Islands, MAX-N+ : Local	303.48	349.00
000-13588-001		PC-Y210: C-MAP MAX-N+ L: NEW CALEDONIA	181.74	209.00
000-13588-001		PC-Y210: C-MAP MAX-N+ L: NEW CALEDONIA	181.74	209.00

C-MAP MAX-N

Main Products

Part Number		Description	RRP exclu.	RRP inclu.
000-12806-001		AU-N010 : Victor Harbor To Wellesley Islands, MAX-N : Wide	277.39	319.00
000-12807-001		AU-N011 : Cervantes To Seal Rocks, MAX-N : Wide	277.39	319.00
000-12808-001		AU-N012 : Cairns To Esperance, MAX-N : Wide	277.39	319.00
000-13394-001		AU-N050 : MAX-N C: AUSTRALIA COASTAL CONTINENTAL : Oceania - Continental	329.57	379.01
000-12809-001		AU-N222 : New Zealand, Chatham I. And Kermadec I. , MAX-N : Wide	251.30	289.00
000-12810-001		AU-N260 : Apollo Bay To Tuross Head, MAX-N : Local	173.04	199.00
000-13590-001		PC-N210: C-MAP MAX-N L: NEW CALEDONIA	112.17	129.00
000-12811-001		AU-N261 : Tuross Head To Tweed River, MAX-N : Local	173.04	199.00
000-12812-001		AU-N262 : Tweed River To Mackay, MAX-N : Local	173.04	199.00
000-12813-001		AU-N263 : Mackay To Princess Charlotte Bay, MAX-N : Local	173.04	199.00
000-12814-001		AU-N264 : Cape Flattery To Wyndham, MAX-N : Local	173.04	199.00
000-12815-001		AU-N266 : Daly River To Onslow, MAX-N : Local	173.04	199.00
000-12816-001		AU-N267 : Onslow Cape To Bouvard, MAX-N : Local	173.04	199.00
000-12817-001		AU-N268 : Cape Bouvard To Port Eyre, MAX-N : Local	173.04	199.00
000-12818-001		AU-N269 : Port Eyre To Apollo Bay, MAX-N : Local	173.04	199.00
000-12819-001		AU-N270 : New Zealand North Island, MAX-N : Local	190.43	218.99
000-12820-001		AU-N271 : New Zealand South Is. And Chatham, MAX-N : Local	190.43	218.99
000-12878-001		PC-N203 : Carolinas, Kiribati, Marshall, Marianas , MAX-N : Wide	251.30	289.00

Charts

Part Number		Description	RRP exclu.	RRP inclu.
000-12879-001		PC-N204 : South Pacific Islands, MAX-N : Wide	251.30	289.00
000-13129-001		AF-N003 : Antarctica, MAX-N : Wide	364.35	419.00